Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Desco 35660

For any questions, you can email us directly: sales@integrated-circuit.com

Datasheet of 35660 - LOTION HAND REZTORE 80Z 12 PACK

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

DESCO INDUSTRIES INC. Technical Bulletin TB-7046 Application Instructions Reztore™ ESD Hand Lotion and Reztore™ Clean Hand Lotion





Figure 1. Reztore™ ESD Hand Lotion.

Description

Desco Industries, Inc. Reztore™ ESD Hand Lotion and Reztore™ Clean Hand Lotion are specially formulated for use in the electronic manufacturing environment. Per ESD Handbook TR20.20 paragraph 5.3.2.4.3 Test Procedure, "If the [wrist strap test] resistance is still too high, dry skin might be the problem. Dry skin conditions can be resolved by applying moisturizing lotion on the wrist and repeating the resistance test again. The moisturizing lotion should be one that is compatible with process requirements." The moisturizing hand lotion can be used to enhance the effectiveness of ESD control wrist straps, particularly for individuals with dry skin. It will absorb immediately into the skin without interfering with grip or dexterity. The lotion is free of chemicals that may adversely affect solderability or cause corrosion of electronic components. Reztore™ Hand Lotion is available in 8 oz. (235 ml) plastic bottles (sold in cartons of twelve bottles) and in 32 oz. (1 litre) bottles with

Reztore™ Hand Lotion can also be used with ESD footwear. Per ESD Handbook TR20.20 section 5.3.3.5 Common Testing Problems "Occasionally, footwear may indicate a high resistance. Outside of the shoe material itself being a contributor to high resistance, the wearer's skin (if dry), heavy or insulative socks, or the absence of a sweat layer due to differences in temperature between the inner surfaces of the shoes and the wearer's feet."

General Guidelines

Reztore[™] Hand Lotion can be applied to hands and wrists to increase the conductivity of the skin and reduce skin dryness. It is not recommended for application to the face. The lotion is chemically and biologically stable and is free of soaps, glycerin, lanolin, silicone and mineral oil. Avoid contact with eyes. If eye contact occurs wash with water.

Directions

Apply a small amount of Reztore™ Hand Lotion onto the palm of the hand. Using your hands, rub the lotion into skin areas which are either dry or where increased conductivity is desired, especially on the wrists where the wrist strap will be in direct contact. Gently rub the lotion into the skin until it is absorbed. Remove the excess lotion with a towel.

Specifications

Color: White
Odor (Clean Lotion): Unscented
Odor (Regular Lotion): Peach fragrance

DH: 7.5 ± .5

Contaminants: No soap, lanolin, silicones, or mineral oil

% Solids: $7.5 \pm 2\%$

Package: 8 oz. (235 ml) plastic

squeeze bottles or 32 oz. (1 litre) bottles with

pumps

Freeze: Passes three freeze-thaw cycles

Features - Benefits

- Moisturizing formula improves wrist strap contact with skin and relieves chapping and insulating dry skin
- Free of contaminants so that nothing is transferred to the work
- Non-acidic to prevent corrosion of electronic components
- Contains aloe vera, moisturizers, and vitamins to promote healing and help achieve healthier hands and mails
- No lanolin, silicone, mineral oil, or insulators that will contaminate electronic components

Storage

Reztore[™] Hand Lotion does not have a set life span. The chemicals are not known to degrade over time when stored at the proper temperature conditions as stated in the Safety Data Sheet. We also recommend that this product be stored in its original container and be sealed when not in use.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: DescoIndustries.com



Datasheet of 35660 - LOTION HAND REZTORE 80Z 12 PACK

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Reztore™ ESD Hand Lotion and Reztore™ Clean Hand Lotion is available from these Desco Industries brands:

1ENDA

for service and support in North America

8 OZ	Scented	<u>35660</u>
8 OZ	Unscented	<u>35659</u>
32 OZ	Scented	<u>35661</u>
32 OZ	Unscented	<u>35667</u>



for service and support in the United Kingdom

70950 235 ML 70951 1 L

Vermason

for service and support in the United Kingdom

235 ML 229630

DESCO ASIA

for service and support in Asia

8 OZ 35660 32 OZ 35661

DESCO JAPAN

for service and support in Japan

8 OZ 35660 32 OZ 35661

Limited Warranty, Warranty Exclusions, Limit of Liability and RMA Request Instructions

See Desco Industries Inc. Warranty http://www.descoindustries.com/Warranty.aspx

RoHS 2, REACH, and Conflict Minerals Statement

None of the RoHS 2 restricted materials or REACH substances of very high concern as of 2014/12/17, or Conflict Minerals are intentionally added in manufacturing this product. Ref: European Union Directive 2011/65/EU and Regulation (EC) No. 1907/2006/CE. See Desco Limited Warranty at DescoIndustries.com.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

TB-7046 Page 2 of 6 © 2015 DESCO INDUSTRIES, INC.



Datasheet of 35660 - LOTION HAND REZTORE 80Z 12 PACK

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Safety Data Sheet

Emergency Number:

May be used to comply with ANSI Z400.1-2004, 29 CFR 1910.1200, Regulation (EC) No 1272/2008 (CLP Regulation), and GHS. Standard must be consulted for specific requirements.

NFPA Designation 704

Degree of Hazard 4 = Extreme

0 = Insignificant 3 = High

2 = Moderate

Special Hazard

Flammability (Red) Health 0 (Blue) 0 0 Instability (Yellow)

HMIS RATING: Health 1, Flammability 0, Physical Hazard 0, Personal Protection B

1 = Slight

SECTION 1 — IDENTIFICATION

Reztore™ ESD Hand Lotion and Reztore™ Clean Hand Lotion Product Name/Identity:

781-821-8370

Recommended Use: ESD Hand Lotion Manufacturer: Desco Industries, Inc Address: One Colgate Way Canton, MA 02021 781-821-8370 Telephone:

SECTION 2 — HAZARDS IDENTIFICATION

Classification: None.

Labelling:

Symbol: None. Signal word: None. Hazard Statement (s): None.

Precautionary statements:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Immediately call a doctor/physician.

Wash thoroughly after handling.

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

None of the ingredients present are above their hazard cutoff values as defined by the GHS*

*Globally Harmonized System of Classification AND Labelling of Chemicals (GHS) 2013 Fifth revised edition, Section 1.5.3, Table 1.5.1 and Table 1.5.2.

SECTION 4 — FIRST AID MEASURES

Rinse cautiously with water for several minutes. Remove contact lenses, if Eye Contact

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Skin Contact N/A.

Ingestion DO NOT induce vomiting, may cause damage to mouth, throat, or

esophagus. Contact a physician.

Inhalation N/A.

SECTION 5 — FIREFIGHTING MEASURES

Extinguishing Media: The product is not flammable. Extinguish fire using media suitable

for surrounding fire.

Specific Hazards: None are known.

Protective Clothing: Wear appropriate protective clothing.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

TB-7046 Page 3 of 6 © 2015 DESCO INDUSTRIES, INC



Datasheet of 35660 - LOTION HAND REZTORE 80Z 12 PACK

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wearing protective clothing. Wear proper eye protection.

Environmental Precautions: Keep spills and cleaning runoffs out of municipal sewers and open

bodies of water.

Clean Up Methods: Soak up with sawdust, sand or other absorbent material. Shovel or sweep

up. Flush spill area with water.

Waste Disposal Method: Discard material according to local, state, and federal regulations.

Other Precautions: Mop up spills immediately. Wet floor may present slip hazard.

SECTION 7 — HANDLING AND STORAGE

Handling: Avoid contact with eyes. Do not swallow. Wear gloves and safety glasses or

goggles if handling large quantities. For external use only.

Storage Temperature: Max. 49°C/120°F-1°C/34°F. Keep from freezing. Keep Storage:

out of reach of children.

Incompatibilities: None known.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Eye protection: Avoid contact with eyes. Use safety eye wear with splash guards or side

shields.

Wash hands before eating, smoking, or using washroom facilities. Work/Hygienic Practices:

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Viscous Liquid.

Color: White. Odor (Clean Lotion): Unscented Odor (Regular Lotión): Peach fragrance

Odor threshold: N/A. 7-8 pH:

Boiling Point: 212°F (100°C)

45°C

Melting Point: Flash Point: Noncombustible.

Inflammability Limits: N/A.

(vol.% in air)

Soluble. Solubility in water: Vapor Pressure (mmHg): N/A. Vapor Density (air=1): N/A. Density at 20°C: Specific Gravity (H20=1): N/A. 1.0 - 1.1

Inflammability: Classification according to EC-regulations "non-flammable".

Ignition Temperature: N/A. Evaporation Rate: N/A. N/A. Decomposition temperature: Partition coefficient: N/A.

SECTION 10 — STABILITY AND REACTIVITY

Stability/Reactivity: Stable product at normal conditions.

Conditions to avoid: Temperatures above 49°C/120°F and below 1°C/34°F

Materials to avoid: Avoid contamination with strong acids and oxidizing agents.

Hazardous Decomposition: Thermal decomposition may yield carbon monoxide.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: DescoIndustries.com

© 2015 DESCO INDUSTRIES, INC. TB-7046 Page 4 of 6



Datasheet of 35660 - LOTION HAND REZTORE 80Z 12 PACK

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

SECTION 11 — TOXICOLOGICAL INFORMATION

No toxic components are present above their hazard cutoff levels*

*Globally Harmonized System of Classification AND Labelling of Chemicals (GHS) 2013 Fifth revised edition, Annex 4, A4.3.11.1, A4.3.11.14.2 (b).

SECTION 12 — ECOLOGICAL INFORMATION

Mobility: The product is aqueous and will be separated in aqueous conditions.

Degradability: N/A.

Bioaccumulation: Not likely.

Ecotoxicity: None known.

Reference to BimSchV: N/A.

Hazard Classification: None Hazardous.

SECTION 13 — DISPOSAL CONSIDERATIONS

Product: No special precautions. Dispose of according to all federal,

state and local regulations.

SECTION 14 — TRANSPORT INFORMATION

This product is not classified for transport under ADR/IMDG regulations.

SECTION 15 — REGULATORY

Non-flammable. Physical/Chemical Indication:

(R22): Harmful if swallowed, Risk-Phrase:

(R36): Irritating to the eyes.

Safety-Phrase: (S2): Keep away from children,

(S7): Keep containers well closed. (S25): Avoid contact with eyes,

(S42): If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

TSCA: All ingredients of this product are listed or are excluded from the listing on

the U.S. Toxic Substance Control Act (TSCA) Chemical Substance inven

tory.

REACH: This product does not require REACH registration.

WHIMIS: This product has been classified according to the hazard criteria of the

CPR and the MSDS contains all the information required by the CPR.

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: DescoIndustries.com

© 2015 DESCO INDUSTRIES, INC. TB-7046 Page 5 of 6



Datasheet of 35660 - LOTION HAND REZTORE 80Z 12 PACK

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

SECTION 16 — OTHER INFORMATION

Health 1, Flammability 0, Physical Hazard 0, Personal Protection B HMIS RATING:

NFPA RATING: Health 0, Flammability 0, Instability 0, Special Hazard N/A

SDS Updated: 2015-04-08

Disclaimer

The information given in this publication has been worked up to the best of the knowledge of Desco Industries Inc, as well as taking into consideration the applicable laws and regulations. We cannot anticipate all conditions under which this information and our products or the products of the manufacturers in combination with our products may be used. We accept no responsibility for the results obtained by the application information or the safety and suitability of our product or product combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes. Unless otherwise agreed in writing, we sell the products without warranty, and buyers end users assume responsibility and liability for loss or damage arising from the handling and use of our products, whether used alone or in combination with other products.

N/A = Not Applicable; NE = None Established

DESCO INDUSTRIES INC. • 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Web Site: Descolndustries.com

© 2015 DESCO INDUSTRIES, INC. TB-7046 Page 6 of 6