Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

<u>Cherry</u> <u>M-5400</u>

For any questions, you can email us directly: sales@integrated-circuit.com





Desktop Products

M-5400 Series PowerWheel Mouse



Key Features

- Optical sensor for precise movement of the mouse pointer
- PC- and MAC-compatible with USB interface
- Precise performance with 800 dpi resolution
- Easy scrolling with PowerWheel
- Elegant design, ideally suited for right-handed and left-handed users
- Connection and disconnection during operation with USB connector
- Adapter for PS/2 interface

Part Numbers

M-5400 light grey

M-5450 black





Desktop Products

M-5400 Series PowerWheel Mouse

Part Number Legend





Technical Data

System Requirements

USB or PS/2 Interface

Number of Buttons

3 buttons

Cable Lengths

approx. 2.0 m

ca. 135 g (without packaging) ca. 155 g (with packaging)

Dimensions

approx. 121 x 63 x 38 mm (without packaging) approx. 136 x 89 x 48 mm (with packaging)

Current Input

max. 100 mA

Connection

USB (PS/2 via adapter)

Resolution

iab 008

Packaging Units

50 mice per master carton 1600 or 1200 mice per pallet

Storage Temperature

-20 °C to 60 °C

Operating Temperature

0 °C to 50 °C

Agency Approvals

FCC, cURus, GS, CE, GOST-R Microsoft Windows™ XP

Delivery Volume

- 1 WheelMouse optical
- 1 Adapter for PS/2 interface
- 1 Printed manual

Warranty

2 years

For information on repairs or warranty status contact: Cherry Technical Support Phone: 800.510.1689

E-Mail: keyboardsupport@cherrycorp.com

Contact

Call, fax or visit our website for more information. Last Update: 1/01/07

Cherry Electrical Products

11200 88th Avenue Pleasant Prairie, WI 53158

Phone: 262.942.6500 www.cherrycorp.com Web:

F-Mail· sales@cherrycorp.com 262.942.6566 Fax:

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice.

Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

© 2007 Cherry Electrical Products