

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[FCI](#)
[73474-201](#)

For any questions, you can email us directly:



sales@integrated-circuit.com

PRODUCT NO.	DESCRIPTION
73474-101	HEAT STAKE VERSION
73474-101LF	HEAT STAKE VERSION


FRONT VIEW



HEAT-STAKE
PEG VERSION



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE



NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- INDICATED HOLES ARE UNPLATED.
- SEE SHEET 2 FOR PRESS-PEG VERSION,
SEE SHEET 3 FOR SCREW-DOWN VERSION.
- THE PRODUCTS WHERE THE PART NUMBER
ENDS IN "LF" MEET THE EUROPEAN UNION
DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.
ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C
FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN.

mat'l. code				surface	tolerance	projection	product family	
SEE NOTES				ISO 1302	ISO 406 ISO 1101		METRAL ACC	
ltr	ecr	no	dr	date	tolerances unless otherwise specified		title	
G	V11668	LSS		6/12/01	angles	xx ±.01/3	RECEPTACLE GUIDE MODULE, 5 ROW	
H	V12868	CGD		1/02/02	linear	xxx ±.005/.13		
J	V05-0007	TAB		1/11/05	α±2°	xxxx ±.0020/.050		
K	V05-0223	TAB		3/11/05	dr	M. FETROW 5/19/97		
L	V05-0730	DAI		8/04/05	enrg	C. PENDLETON 5/19/97	FCJ	
M	M05-0231	MHT		10/28/05	chr	C. PENDLETON 5/19/97		
N	M06-0286	MNR		7/27/06	appd	C. PENDLETON 5/19/97		
sheet	revision	N	N	N	N	N	dwg no	sheet 1 of 5 size
index	sheet	1	2	3	4	5	73474	A3
							type	Product Customer Drawing

PDM: Rev:N


STATUS: Released

Printed: Jul 28, 2010




form: 4.3

PRODUCT NO.	DESCRIPTION
73474-301	SCREW DOWN VERSION
73474-301LF	SCREW DOWN VERSION

FRONT VIEW



SCREW DOWN VERSION



REQUIRED P.C. BOARD LAYOUT
COMPONENT SIDE

NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL SCREW-DOWN ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR PRESS-PEG,
SEE SHEET 2.
- TWO MOUNTING SCREWS, P/N 63787-001, OR 63787-001LF FOR
73474-301LF, FOR MAX PCB THICKNESS 2.4mm [0.094"].
P/N 63787-002 OR 63787-002LF FOR 73474-301LF MAX
PCB THICKNESS 3.2mm [0.126"].
MUST BE ORDERED SEPARATELY
- THE MATING CONNECTOR FOR THIS APPLICATION MUST USE A
WALL-LESS HEADER HOUSING, P/N 63735-101, TO AVOID
INTERFERENCE WITH MOUNTING SCREW HEADS.

mat'l. code				surface	tolerance	projection	product family
SEE NOTES				ISO 1302	ISO 406	ISO 1101	METRAL ACC
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
N					angles linear	xx ±.01/.3	RECEPTACLE GUIDE
					σ±2	xxx ±.005/.13	MODULE, 5 ROW
						xxxx ±.0020/.050	scale 1:1
			dr	M. FETROW 5/19/97			FCJ
			engr	C. PENDLETON 5/19/97			dwg no
			chr	C. PENDLETON 5/19/97			73474
			appd	C. PENDLETON 5/19/97			type Product Customer Drawing
sheet	revision						
index	sheet						

PDM: Rev:N


STATUS: Released

Printed: Jul 28, 2010


PDM: Rev:N STATUS: Released Printed: Jul 28, 2010

PRODUCT NUMBER	DESCRIPTION
73474-401M	PRESS PEG VERSION
73474-401	PRESS PEG VERSION
73474-401LF	PRESS PEG VERSION

FRONT VIEW




PRESS PEG
VERSION



NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- INDICATED HOLES ARE UNPLATED.
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL PRESS-PEG ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR SCREW-DOWN
VERSION, SEE SHEET 3.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

mat'l. code	SEE NOTES	surface ISO 1302	tolerance ISO 406 ISO 1101	projection	product family METRAL ACC
ltr	ecn	no	dr	date	title
N					RECEPTACLE GUIDE MODULE, 5 ROW
					dwg no
					73474
					sheet 5 of 5 size
					A3
					type
					Product Customer Drawing

PDM: Rev:N

STATUS: Released

Printed: Jul 28, 2010