


Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

<u>FCI</u> 72904-254

For any questions, you can email us directly: sales@integrated-circuit.com







Distributor of FCI: Excellent Integrated System Limited

Datasheet of 72904-254 - 72904-254-DINBC 1/4 STR REC CNR

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

PIN L□ADING ≥ 7 5 3 1 2 6 4 2 PRODUCT NUMBER CUSTOMER P/N DIM "L" DIM "M" REMARKS PLATING COMMENT X X X 72904-211 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 001 7.5±0.5 FIG 1 72904-211LF 72904-212 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 002 7.5±0.5 FIG 1 72904-212LF 72904-213 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 013 7.5±0.5 FIG 1 Α 72904-213LF CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH 72904-217 RNV 304 020 7.5±0.5 FIG 1 OBSOLETE CONTACT AREA: 2µm Au TERMINATION: LEADED PRODUCTS - Sn Pb 6-10µm LEAD FREE PRODUCTS - Sn (MATTE TIN), NI ALL OVER 72904-221 RNV 304 005 5.7±0.2 FIG 2 72904-221LF CONTACT AREA: 2µm Au TERMINATION: LEADED PRODUCTS - Sn Pb 6-10µm LEAD FREE PRODUCTS - Sn (MATTE TIN), Ni ALL OVER 72904-222 5.7±0.2 FIG 2 RNV 304 006 72904-222LF CONTACT AREA: 2µm Au TERMINATION: LEADED PRODUCTS - Sn Pb 6-10µm LEAD FREE PRODUCTS - Sn (MATTE TIN), Ni ALL OVER 72904-223 RNV 304 016 5.7±0.2 FIG 2 72904-223LF CONTACT AREA: 2µm Au TERMINATION: Sn Pb 6-10µm 72904-224 RNV 304 025 5.7±0.2 FIG 2 OBSOLETE 72904-231 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH 13.5±0.5 RNV 304 007 FIG 1 72904-231LF 72904-232 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH 13.5±0.5 FIG 1 RNV 304 008 72904-232LF 72904-233 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 015 13.5±0.5 FIG 1 72904-233LF 72904-234 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH С С RNV 304 023 13.5±0.5 FIG 1 72904-234LF product family DIN surface tolerance ISO 1302 SO 406 ISO 1101 projection Mat I. code
SEE NOTES, SHEET 1

Itr ecn no dr date
A F10725 DLE 2001-12-05
B F04-0155 DLE 2004-03-16
C 105-0232 Mini 2005-11-15 ⊕-⊲ CONNECTOR DIN 3x7 POS. angles mm scale 3:1 I. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. 2. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920. D 106-0082 MINI 2006-06-01 dr D LEGRAND 2001-12-0 72904 sheet 3 engr J.F.NOTTEAU 2001-12-05 chr RAKHEE GEORGE 2006-06-01 ΙДз 3. PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING LEAD FREE WAVE SOLDER PROCESS AT 260-265°C

PDM: Rev:E



Distributor of FCI: Excellent Integrated System Limited

Datasheet of 72904-254 - 72904-254-DINBC 1/4 STR REC CNR

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

PRODUCT NUMBER PLATING CUSTOMER P/N COMMENT DIM "I " DIM "M" REMARKS CONTACT AREA: 2µm Au TFRMINATION: GOLD FLASH 72904-235 RNV 304 024 13.5±0.5 FIG 1 **DBSOLETE** 72904-239 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 021 13.5±0.5 FIG 1 72904-239LF CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH 72904-248 RNV 304 017 13.5±0.5 FIG 1 OBSOLETE Α 72904-254 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 012 7.5±0.5 5.7±0.2 FIG 3 72904-254LF CONTACT AREA: 2µm Au TERMINATION: Sn Pb 6-10µm OBSOLETE 72904-255 RNV 304 011 7.5±0.5 FIG 2 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH RNV 304 010 7.5±0.5 5.7±0.2 FIG 3 OBSOLETE 72904-256 CONTACT AREA: 2µm Au . TERMINATION: LEADED PRODUCTS- SnPb 6-10µm, LEAD FREE PRODUCTS- Sn (MATTE TIN). NI ALL OVER. 72904-261 3.3 -0.6 RNV 304 005/1 FIG 1 72904-261LF CONTACT AREA: 2µm Au . TERMINATION: LEADED PRODUCTS- SnPb 6-10µm, LEAD FREE PRODUCTS- Sn (MATTE TIN). NI ALL OVER. 72904-262 3.3 -0.6 RNV 304 006/: FIG 1 72904-262LF 72904-263 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH 3.3 -0.6 FIG 1 RNV 304 014 72904-263LF CONTACT AREA: 2µm Au TERMINATION: Sn Pb 6-10µm 3.3 -0.6 OBSOLETE 72904-264 RNV 304 006/2 FIG 1 CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH 4.6-0.5 72904-274 RNV 304 018 FIG 1 OBSOLETE CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH С 72904-275 RNV 304 009 13.5±0.5 FIG 1 OBSOLETE surface tolerance ISO 1302 SO 406 ISO 1101 projection product family DIN SEE NOTES, SHEET 1 ⊕-⊲ Itr ecn no dr date

A F10725 DLE 2001-12-05

B F04-0155 DLE 2004-03-18

C 105-0232 MINI 2005-11-15 CONNECTOR DIN 3x7 POS. angles mm NOTES: scale 3:1 1. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY D 106-0082 MINI 2006-06-01 dr D LEGRAND 2001-12-0 72904 sheet 4 REGULATIONS AS DESCRIBED IN GS-22-008. engr J.F.NOTTEAU 2001-12-chr RAKHEE GEORGE 2006-06-ΙДз 2. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920. 3. PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING LEAD FREE WAVE SOLDER PROCESS AT 260-265°C

PDM: Rev:E

2