

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

<u>Tripp Lite</u> P710-006

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Tripp Lite: Excellent Integrated System Limited Datasheet of P710-006 - CABLE DB25M/M STRAIGHT THRU 6'



Tripp Lite

1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

IEEE 1284 AA Straight Through Cable (DB25 M/M), 6-ft.

MODEL NUMBER: P710-006



Highlights

- IEEE rated to support IEEE 1284 compatible auto switches
- Fully shielded against EMI/RFI interference

System Requirements

- Computer with a parallel port
 DB25 Female
- Parallel device or switchbox with a DB25 Female port requiring IEEE communication

Package Includes

• 6-ft. IEEE 1284 AA Straight Thru Parallel Cable DB25M to DB25M

Description

Tripp Lite's 6-ft. IEEE 1284 straight through cable connects a computer to a manual or automatic switchbox. It supports high-speed IEEE 1284 bi-directional communication. The cable features nickel plated DB25 male/male connectors and gold plated copper contacts for superior conductivity. It is manufactured from superior molded cable with integral strain relief and double shielding for maximum EMI/RFI protection. It contains low-capacitance, impedance matched, twisted-pair conductors that protect against cross-talk and other transmission problems.

Features

- · Connects a computer to a manual or automatic switchbox
- Supports high-speed IEEE 1284 bi-directional communication (modes: standard compatible nibble byte ECP and EPP)
- Length: 6-ft. Connectors: DB25 male/male
- Nickel plated connectors and gold plated copper contacts offer superior conductivity
- Superior molded cable with integral strain relief and double shielding (foil and braid) for maximum EMI/RFI protection
- Low-capacitance impedance matched twisted-pair conductors protect against cross-talk and other transmission problems
- 25 conductor (direct wired)
- Molded ends with easy-grip textured overmold

Specifications

INPUT	
Cable Length (ft.)	6
Cable Length (m)	1.8
PHYSICAL	
Color	Black





Tripp Lite Chicago, IL 60609 USA Telephone: 773.869.1234

CONNECTIONS		
Side A - Connector 1	DB25 (MALE)	
Side B - Connector 1	DB25 (MALE)	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2016 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: http://www.tripplite.com/products/product-certification-agencies