

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Tripp Lite](#)  
[P754-015](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
www.tripplite.com

## KVM Switch Cable Kits - 15-ft. PS2 Cable Kit for KVM Switch

MODEL NUMBER: **P754-015**

### Description

Tripp Lite's 15-ft. PS/2 (3-in-1) KVM cable kit is designed to connect a PS/2 computer or a console converter to a KVM switch. This premium 3-in-1 cable provides superior performance and cable management. It consists of 2 PS/2 keyboard/mouse cables and a SVGA mini-coax monitor cable bonded into a single unit. the cable features MiniDIN6 male/male connectors and gold plated HD15M/F connectors. All cables are manufactured from superior molded cable with integral strain relief and foil shielding for maximum EMI/RFI protection. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

### Features

- Connects a PS/2 computer or a console converter to a KVM switch(# [B007-008](#))
- 15-ft. 3-in-1 cable consists of 2 PS/2 keyboard/mouse cables and an SVGA mini-coax monitor cable bonded into a single unit
- Provides superior performance and cable management
- Molded ends with easy-grip textured overmold
- SVGA monitor cable supports any VGA/SVGA monitor
- Gold plated connectors and gold plated copper contacts offer superior conductivity
- Constructed of mini-coax(RGB) and paired video wire
- Superior molded cable with integral strain relief and double shielding(foil and braid) for maximum EMI/RFI protection
- Hi-Resolution cable
- PS/2 keyboard/mouse cables
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

### Highlights

- Molded 3-in-1 cable kit designed for PS/2 applications
- Supports SVGA and VGA applications
- Color coded connectors match input ports on KVM and most CPU's

### System Requirements

- A PS/2 computer or a console converter(#[B015-000](#) and [B011-000](#)) for a non-PS/2 computer.
- A PS/2 KVM switch(# [B007-008](#)).

### Package Includes

- 15-ft. PS2 Cable Kit for KVM Switches

## Specifications

INPUT	
Cable Length (ft.)	15
Cable Length (m)	4.57
PHYSICAL	
Color	Black
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:  
<http://www.tripplite.com/products/product-certification-agencies>