Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Tripp Lite P764-010

For any questions, you can email us directly: sales@integrated-circuit.com





Tripp Lite

1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

KVM Switch Cable Kits - 10-ft. Cable Kit for KVM Switch B005-008 w/ Audio

MODEL NUMBER: P764-010



Highlights

- Audio compliant
- For use with B005-008 KVM switch when connecting PS/2 style CPU
- Cable has (5) leads: HD15M (video); MiniDin6M (PS/2 style keyboard); MiniDin6M (PS/2 style Mouse); (2) Audio leads

System Requirements

- A PS/2 computer or a console converter (# B010-000 and B011-000)
- KVM switch (# B005-008).

Package Includes

 10-ft. PS2 Cable Kit for KVM Switch B005-008 w/ Audio

Description

Tripp Lite's 10-ft. PS/2 KVM cable kit with audio is designed to connect a PS/2 computer to a B005-008 KVM switch. This premium 5-in-1 cable provides superior performance and cable management. It consists of 2 PS/2 keyboard/mouse cables, an SVGA mini-coax monitor cable and 2 audio cables all bonded into a single unit. This unique cable has 2 MiniDIN6 male, an HD15 male and (2) 3.5mm male connectors on one end with a DB25 male connector on the other end (which connects to the KVM switch). All cables are manufactured from superior molded cable with integral strain relief and foil shielding for maximum EMI/RFI protection. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

Features

- Connects a PS/2 computer to a KVM switch (# B005-008)
- 10-ft. 5-in-1 cable consists of an PS/2 keyboard cable, a PS/2 mouse cable, an SVGA mini-coax monitor cable and 2 audio cables bonded into a single unit
- Superior molded cable with integral strain relief and double shielding (foil and braid) for maximum EMI/RFI protection
- Provides superior performance and cable management
- DB25 male connector attaches to the KVM switch
- Molded ends with easy-grip textured overmold
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life
- . Monitor cable portion constructed of mini-coax (RGB) and paired video wire to support any VGA/SVGA monitor. Connector: HD15 male
- PS/2 keyboard cable connector: MiniDIN6 male
- PS/2 mouse cable connector: MiniDIN6 male
- Audio cable connectors: 3.5mm male

Specifications

INPUT



Distributor of Tripp Lite: Excellent Integrated System LimitedDatasheet of P764-010 - CABLE KIT FOR KVM PS/2 10'



Tripp Lite
1111 W. 35th Street

Chicago, IL 60609 USA Telephone: 773.869.1234

Cable Length (ft.)	10
Cable Length (m)	3.05
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2016 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: http://www.tripplite.com/products/product-certification-agencies