

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[98775-104LF](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

PRODUCT NUMBER  
SEC. TABLE



mat'l. code	surface	tolerance	projection	product family
ISO 1302	ISO 406	ISO 1101		LATCH-N-LOK
tolerances unless otherwise specified	angles	lines	INCH/MM	title
K BX-N-00848 ZK 11/29/11	0°±2'	XXX1/01/0XXX13	scale 1:1	1X8 VERTICAL HEADER ASSEMBLY
E M04-0230 MHT 12/8/04	engr R.G. DRAGG00	XXX1/02/0XXX10		dwg no
F M05-0052 ERE 3/19/05	8/3/99			98775
G M06-0285 AGS 7/28/06	8/3/99			sheet 1 of 2
H M06-0365 AGS 9/21/06	8/3/99			A3
J M09-0048 MHT 3/12/09	8/3/99			type Product Customer Drawing
sheet revision K				
index sheet 1 2				

98775-XXXLF

LEAD FREE OPTION ⑥

COLOR ④		
1	70343	LT GRAY — OBS
2	80166	OFF WHITE — OBS
3	70634	DK GRAY — OBS
4	701	BLACK — OBS
5	70541	SLATE GRAY — OBS
7	70455	SILVER GRAY — OBS
8	80489	PEARL WHITE — OBS
9	70419	PEBBLE GRAY — OBS

PLATING ③	
0	30u" MIN OVER 50u"MIN Ni
3	30u" MIN OVER 50u"MIN Ni
5	50u" MIN OVER 50u"MIN Ni

PIN LENGTH	
	DIM L
0	.150/3.18
1	.110/2.79

NOTES:

- HEADER SHROUD  
MAT'L: HIGH TEMPERATURE THERMOPLASTIC.  
UL-94V-0 RATED.
- GROUND CONTACT  
MAT'L: COPPER ALLOY  
PLATING: 100-160u"/2.54-4.06u TIN
- SIGNAL CONTACT  
MAT'L: COPPER ALLOY  
PLATING: PERFORMANCE PLATING WILL BE EITHER GOLD OR GXT ON CONTACT AREA OR TAIL, OPTIONALLY (78-295u") TIN ON TAIL.
- NUMBERS SHOWN ARE FOR G.E. LEXAN AND ARE FOR REFERENCE ONLY.
- THIS ASSEMBLY U.L. APPROVED PER FILE E66906 VOL. 1, SEC. 84 AND CSA APPROVED PER MASTER FILE LR46923
- ADD LF SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
- PRODUCT SPEC: GS-12-003

mat'l. code	surface	tolerance	projection	product family
	ISO 1302	ISO 406	ASME Y14.5	LATCH-N-LOK
tr/rev	date	tolerances unless otherwise specified	INCH/MM	title
K		0±.005	0±.13	1X8 VERTICAL HEADER ASSEMBLY
		0±.005	0±.13	dwg no 98775 sheet 2 of 2 size A3
		0±.005	0±.13	type Product Customer Drawing
dr	R.G DRAGS00	8/3/99	scale 1:1	
engr	T.GARLICK	8/3/99		
chr	T.GARLICK	8/3/99		
appd	T.GARLICK	8/3/99		
sheet index	revision sheet			

4 PDS: Rev :K

STATUS: released

Printed: Jan 06, 2012

FCIconnect.com  
Copyright FCI