AF 9232A

NOTE: METRIC DIMENSIONS ARE IN PARENTHESES AND ARE EXPRESSED IN MILLIMETERS

THERMALLOY SPECIFICATION CONTROL DRAWING

SOCKETS, LAMINATED - MOUNTING

035075

REVISION RECORD			
ECN NO.	CUSTOMER REV	AAVID REV	DATE
11776	J	A	3-22-01

035075

SYM	REVISION RECORD	DATE	ECN	DRAWN	CHECKED
J	DELETIONS	8/2/85	7887	KM	DLB

Thermalloy Inc.

TITLE: A SOCKETS, LAMINATED-MOUNTING			SCALE: NONE DO NOT SCALE
DRAWN S. JOHNSON DATE 5-8-75		SIZE A	MATERIAL: SEE 2.0
CHECKED S. JOHNSON DATE 5-8-75		TYPE SD	
APPROVED DATE		CODE IDENT NO. 13103	
TOLERANCES ±.015 (.38) ±1° EXCEPT AS NOTED	ORIGINATING ECN 2655	DRAWING NUMBER 11692 THRU 11695	REV J

SHEET 1 OF 5

AF 9232A

NOTE: METRIC DIMENSIONS ARE IN PARENTHESES AND ARE EXPRESSED IN MILLIMETERS

1.0 SCOPE: THIS DOCUMENT DETAILS THE REQUIREMENTS FOR LAMINATED MOUNTING SOCKETS.

2.0 MATERIAL:

2.1 TOP PLATE: MOLDED NYLON PER MIL-P-20693A

2.2 BASE: PHENOLIC PBE GRADE, COLOR: NATURAL

2.3 COLLECTOR PLATE: STEEL, ~~CAD PLATE~~ ZINC II PLATE P.D

2.4 CONTACTS: .012 THICK BRASS. ~~CAD PLATE~~ ZINC II PLATE P.D.

3.0 REQUIREMENTS:

3.1 SOLDERABILITY: SOLDERABLE PER EIA SOLDERABILITY SPEC RS-186-9E

4.0 PRECEDENCE:

4.1 IN THE EVENT OF CONFLICT, THE ORDER OF PRECEDENCE FOR RELATED DOCUMENTS SHALL BE AS FOLLOWS:

A. THIS DOCUMENT

B. OTHER SPECIFICATIONS

5.0 CONFIGURATION:

5.1 DIMENSIONAL REQUIREMENTS: SEE TABLE "A"

5.2 METRIC DIMENSIONS ARE IN PARENTHESES AND ARE EXPRESSED IN MILLIMETERS.

5.3 TOLERANCES ON NOTED DIMENSIONS TO BE ± .010 (.25).

SEE SHEET 1

035075

SYM	REVISION RECORD	DATE	ECN	DRAWN	CHECKED

Thermalloy Inc.

TITLE: SOCKETS, LAMINATED - MOUNTING	SCALE: NONE DO NOT SCALE
DRAWN S. JOHNSON DATE 5-8-75	SIZE A
CHECKED S. JOHNSON DATE 5-8-75	TYPE SD
APPROVED DATE	MATERIAL: SEE 2.0
TOLERANCES: ± .015 (.38) ± 1° EXCEPT AS NOTED	CODE IDENT NO. 13103
ORIGINATING ECN: 2655	DRAWING NUMBER: 11692 THRU 11695
	REV: J