

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

Wurth Electronics Inc 7447041

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Wurth Electronics Inc: Excellent Integrated System Limited Datasheet of 7447041 - FIXED IND 68UH 800MA 100 MOHM TH




This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard an eliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal nijury or death, unless the parties have executed an agreement specifically governing such use. Moreover Willin Elektronik edis of mH4 & Co X& product are not the designed not use, a station, autobard in teraportation is applicable control, transportation signal, disaster prevention, medical, public information network etc., Worth Elektronik ediss GmB4 & Co X& must be informed about the intent of such usage before the design et again, a station, such et al. The electronic equipment of the reactificable control is the reactificable control is the electrical circuits by an electr



more than you expect



F1 Typical Impedance Characteristics:



				Projection		DESCRIPTION			
7.7	2014-06-10	SSt	SSt						
7.6	2014-01-08	SSt	SSt	$\neg $		WE-FI Leaded	Toroidal Line Choke		
7.5	2013-10-17	SSt	JRS	Würth Elektronik eiSos Gmb	H & Co. KG				
7.4	2013-04-22	SSt	SSt	EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Waldenburg					
7.3	2012-12-04	SSt	SSt			Order No.	COMPLIANT	SIZE	
7.2	2012-10-24	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0			ROHS&REACH	OILL	
7.1	2012-06-27	SSt	SSt	www.we-online.com eiSos@we-online.com		7447041		A4	
REV	DATE	BY	CHECKED	CIGUS/SINC-UNITE.CUTT					


This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard an reliability standard is especially required or where a failure of the product is reasonable expected to cause severe personal nijury or death, unless the parties have executed an agreement specifically governing such use. Moreover Willin Elektronik edis of middly causation interded for use in equipment on interded for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonable expected to cause severe personal nijury or death, unless the parties have executed an agreement specifically governing such use. He design is tagis, it additions, addition interdent edition is to safety and the parties have executed an agreement specifically quarter of the special sign and addition standard. Interdent parties have executed an agreement specifically equare to a specifically required or where a higher safety and the standard is a specifically required or where a higher safety and the standard is a specifically required or where a higher safety and the standard is a specifically required or where a higher safety and the standard is a specifically required or where a higher safety and the standard is a specifically required in standard in standard in reliability failable or particular standard in reliability reliable and reliability failable or particular standard in r



H Soldering Specifications:



H4: Classification Wave Soldering Profile:



continuous black line - typical temperature procedure
 interrupted blue line - min temperature procedure
 interrupted red line - max temperature procedure

H5: Classification Wave Profile

Profile Feature	Pb-Free Assembly	Sn-Pb Assembly
Preheat - Temperature Min (T _{smin}) - Temperature Typical (T _{stypical}) - Temperature Max (T _{smax}) - Time (t _b) from (T _{smin} to T _{smax})	100°C 120°C 130°C 70 seconds	100°C 120°C 130°C 70 seconds
△ preheat to max Temperature	150°C max.	150°C max.
Peak temperature (T _p)	250°C - 260°C	235°C - 260°C
Time of actual peak temperature (t_p)	max. 10 seconds max. 5 second each wave	max. 10 seconds max. 5 second each wave
Ramp-down rate - Min - Typical - Max	~ 2 K/s ~ 3.5 K/s ~ 5 K/s	~ 2 K/s ~ 3.5 K/s ~ 5 K/s
Time 25°C to 25°C	4 minutes	4 minutes

refer to EN 61760-1:2006

				Projection .		DESCRIPTION		
7.7	2014-06-10	SSt	SSt					
7.6	2014-01-08	SSt	SSt	$\neg $		WE-FI Leaded	Toroidal Line Choke	
7.5	2013-10-17	SSt	JRS	Würth Elektronik eiSos Gmb	H & Co. KG			
7.4	2013-04-22	SSt	SSt	EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Waldenburg				
7.3	2012-12-04	SSt	SSt			Order No.	COMPLIANT	SIZE
7.2	2012-10-24	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0			ROHS&REACh	ULL
7.1	2012-06-27	SSt	SSt	www.we-online.com eiSos@we-online.com		7447041		A4
REV	DATE	BY	CHECKED	CIGUS SINC OTHER.COTT				

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for usen in equipment where a Tailbay standard and reliability standard is especially required or where a Tailbay estimates are reliable electronic transmission. Been designed and developed for usage in general electronic equipment only. This product is not authorized for usen in equipment where a Tailbay standard and reliability standard is especially required or where a Tailbay estimates. This product is not authorized for usen in equipment where a Tailbay estimates are reliable electronic equipment or intended for usen areas such as millitary, areaspace, aviation, nareaspration (standard is approximate), transportation signal, disaster prevention, medical, public information network estimates are the designed respire of the design respire and and the design respire and and the design respire and the destimates areas areas and and the internet of such usage before the destigned respire of the destimates areas areas and the destimate areas areas and the destimates areas areas and the destimate areas areas are reliable estimates areas areas

I Cautions and Warnings:

The following conditions apply to all goods within the product series of WE-FI of Würth Elektronik eiSos GmbH & Co. KG:

General:

All recommendations according to the general technical specifications of the data sheet have to be complied with.

The usage and operation of the product within ambient conditions, which probably alloy or harm the wire isolation, has to be avoided.

If the product is potted in customer applications, the potting material might shrink during and after hardening. The product is exposed to the pressure of the potting material with the effect that the core, wire and termination is possibly damaged by this pressure and so the electrical as well as the mechanical characteristics are endangered to be affected. After the potting material is cured, the core, wire and termination of the product have to be checked if any reduced electrical or mechanical functions or destructions have occurred.

The responsibility for the applicability of customer specific products and use in a particular customer design is always within the authority of the customer. All technical specifications for standard products do also apply to customer specific products.

Cleaning agents that are used to clean the customer application might damage or change the characteristics of the component, body, pins or termination

Direct mechanical impact to the product shall be prevented as the ferrite material of the core could flake or in the worst case it could break.

Product specific:

Follow all instructions mentioned in the data sheet, especially:

- The solder profile has to be complied with according to the technical wave soldering specification, otherwise this will void the warranty.
 All products shall be used before the end of the period of 12 months based on the product date code, if not a 100% solderability can't be ensured.
- •Violation of the technical product specifications such as exceeding the nominal rated current will void the warranty.

The general and product specific cautions comply with the state of the scientific and technical knowledge and are believed to be accurate and reliable; however, no responsibility is assumed for inaccuracies or incompleteness.

				Projection		DESCRIPTION		
7.7	2014-06-10	SSt	SSt					
7.6	2014-01-08	SSt	SSt			WE-FI Leaded Toroidal Line Choke		
7.5	2013-10-17	SSt	JRS	Würth Elektronik eiSos Gmbł	H & Co. KG			
7.4	2013-04-22	SSt	SSt	EMC & Inductive Solutions Max-Evth-Str. 1				
7.3	2012-12-04	SSt	SSt	74638 Waldenburg Germany Tel. +49 (0) 79 42 945 - 0 www.we-online.com eiSos@we-online.com		Order No.		
7.2	2012-10-24	SSt	SMu			RoHS&REACh		
7.1	2012-06-27	SSt	SSt					
REV	DATE	BY	CHECKED					

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Will: Elektronik edss EmH & Co KG products served to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Will: Elektronik edss EmH & Co KG products served to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Will: Elektronik edss EmH & Co KG products served for use in equipment where a higher safety standard and reliability standard or death will adjust and the internet of such safet accurate personal injury or death. Moreover Will: Elektronik edss EmH & Co KG products are netitive and the internet of such safet and reliability standard or death agreement specifically event on the effect of cause the internet of such usage before the design effect and cause the internet of such safet and reliability internet on system and and reliability standard or death effect accurate the internet of such usage before the design effect and cause the internet of such usage the reliability standard or death or internet of such usage the reliability standard or death effect and cause the internet of such usage the reliability standard or death or effect accurate the reliability standard or effect and cause the reliability standard or effect and cause



more than you expect

J Important Notes:

The following conditions apply to all goods within the product range of Würth Elektronik eiSos GmbH & Co. KG:

1. General Customer Responsibility

Some goods within the product range of Würth Elektronik eiSos GmbH & Co. KG contain statements regarding general suitability for certain application areas. These statements about suitability are based on our knowledge and experience of typical requirements concerning the areas, serve as general guidance and cannot be estimated as binding statements about the suitability for a customer application. The responsibi-lity for the applicability and use in a particular customer design is always solely within the authority of the customer. Due to this fact it is up to the customer to evaluate, where appropriate to investigate and decide whether the device with the specific product characteristics described in the product specification is valid and suitable for the respective customer application or not.

2. Customer Responsibility related to Specific, in particular Safety-Relevant Applications It has to be clearly pointed out that the possibility of a malfunction of electronic components or failure before the end of the usual lifetime cannot be completely eliminated in the current state of the art, even if the products are operated within the range of the specifications

In certain customer applications requiring a very high level of safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger thrman life or health it must be ensured by most advanced technological aid of suitable design of the customer application that no injury or damage is caused to third parties in the event of malfunction or failure of an electronic component.

Therefore, customer is cautioned to verify that data sheets are current before placing orders. The current data sheets can be downloaded at www.we-online.com.

3. Best Care and Attention

Any product-specific notes, cautions and warnings must be strictly observed. Any disregard will result in the loss of warranty.

4. Customer Support for Product Specifications

Some products within the product range may contain substances which are subject to restrictions in certain jurisdictions in order to serve spe cific technical requirements. Necessary information is available on request. In this case the field sales engineer or the internal sales person in charge should be contacted who will be happy to support in this matter

5. Product R&D

Due to constant product improvement product specifications may change from time to time. As a standard reporting procedure of the Product Change Notification (PCN) according to the JEDEC-Standard inform about minor and major changes. In case of further queries regarding the PCN, the field sales engineer or the internal sales person in charge should be contacted. The basic responsibility of the customer as per Section 1 and 2 remains unaffected

6. Product Life Cycle

Due to technical progress and economical evaluation we also reserve the right to discontinue production and delivery of products. As a stan-dard reporting procedure of the Product Termination Notification (PTN) according to the JEDEC-Standard we will inform at an early stage about inevitable product discontinuance. According to this we cannot guarantee that all products within our product range will always be available. Therefore it needs to be verified with the field sales engineer or the internal sales person in charge about the current product availability expectancy before or when the product for application design-in disposal is considered.

The approach named above does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.

7. Property Rights All the rights for contractual products produced by Würth Elektronik eiSos GmbH & Co. KG on the basis of ideas, development contracts as well as models or templates that are subject to copyright, patent or commercial protection supplied to the customer will remain with Würth Elektronik eiSos GmbH & Co. KG.

Würth Elektronik eiSos GmbH & Co. KG does not warrant or represent that any license, either expressed or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, application, or process in which Würth Elektronik eiSos GmbH & Co. KG components or services are used.

8. General Terms and Conditions

Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms and Conditions of Würth Elektronik eiSos Group", last version available at www.we-online.com.

				Projection		DESCRIPTION			
7.7	2014-06-10	SSt	SSt	-£-1-@-					
7.6	2014-01-08	SSt	SSt	$\neg \phi$		WE-FI Leaded Toroidal Line Choke			
7.5	2013-10-17	SSt	JRS	Würth Elektronik eiSos Gmbł	H & Co. KG				
7.4	2013-04-22	SSt	SSt	EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Waldenburg					
7.3	2012-12-04	SSt	SSt			Order No.	COMPLIANT	SIZE	
7.2	2012-10-24	SSt	SMu	Germany Tel. +49 (0) 79 42 945 - 0	7447041		ROHS&REACH	UILL	
7.1	2012-06-27	SSt	SSt	www.we-online.com eiSos@we-online.com		/44/041		A4	
REV	DATE	BY	CHECKED	CIDOS SINC OTILITE.COTI					

Her safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use, transportation (automotive control, train control, stan portation signal, disaster prevention, medical, public information network etc... Wurth Elektronik eSos GmbH & Co KG must be informed about the internit of such usage before in pills safety and reliability functions or performance. schronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a high er Wüht Bedromik eScs Brinh # & Dx KS products are neither designed non intended for use in areas such as military, aerospace, avlation, nuchair control, submarint gin-stage, in addinio, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that reg

