

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Chip Quik](#)
[SMDFP-LA1C-10](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

FP-LA1C-10

MicroGripper - 1.25mm to 0.3mm Lead Pitch

FEATURES

- New low-cost MicroGripper
- Multi-colored Grippers
- Conductor Resistance 40 mOhms
- Flexible stand wires included with each package of 10



SPECIFICATIONS

| | |
|-------------------------------------|--|
| Temperature Range: | 0-70°C |
| Conductor Resistance: | 40 mOhms |
| Contact Resistance: | 10 mOhms |
| Accessible Lead Pitch: | 1.25mm-0.3mm |
| Tines Diameter: | 0.15mm |
| Body Height: | 7mm |
| Body Material: | ABS |
| Voltage Usage: | +/-40V |
| Rating: | 500 WVDC |
| Bandwidth: | (3db) >100MHz |
| Inductance: | < 1mH @ 1KHz |
| Capacitance: | < 2.0pF @ 1KHz |
| Barrel Width: | 0.5mm |
| Width of Lead to Be Gripped: | 0.7mm |
| Cord Length: | 200mm |
| Material: | Steel wire or stainless steel, nickel-plated |

DIMENSIONS

