

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0850010012](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

VIEW ON MATING SIDE



A = 16 STANDARD CONTACTS L=3
 B = 16 STANDARD CONTACTS L=3
 S = 32 TOTAL NUMBER OF CONTACTS

Marking	Standard
Performance level	G2/0 = Contact area level2 / Termination fin
Flux proof	no
Fixing clip	no
Dimensions	SDA-85001-0002 sht.1
Technical Data	PS-85003-0001

B	G2/0	b1-16
A	G2/0	a1-16
Contact symbol	Per form.	Contact position number

REVISIONS		FOR PREVIOUS REVISIONS SEE MRL LIST	
see ECN No. 2204	96/07/18 Cd		
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°		DRAWING SIGNATURE	
INCH METRIC		CHK'D BY	
3 PLACE ± .		Ca	
2 PLACE ± .		BY	
1 PLACE ± .		KN	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPRO'D BY	
DESIGN DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN.		SIGNATURE	
EQUIVALENT DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN.		SCALE	
IF TWO DIMENSIONS ARE SHOWN, THE FIRST IS THE DESIGN DIMENSION, LOWER IS SECONDARY		SHEET NO. DATE	
		1 OF 1 95/05/23	
		MOLEX EUROPE	
		PART NO. DWG NO. SDA-85001-0012	
		85001-0012	