

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0026034061](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



SECTION "C-C"



- NOTES:
1. MATERIAL A: NYLON 6/6 UL94V-2, COLOR: NATURAL
 2. FINISH: N/A
 3. THIS PART COMPLIES WITH PRODUCT SPECIFICATION PS-40-02.
 4. PACKAGING SPECIFICATION: PK-6442-001
 5. HOUSING SHOWN ABOVE IS STANDARD HOUSING WITH NO OPTIONS.
 6. THIS HOUSING FOR USE WITH TERMINAL NO. 45570-*, 18-20 GAJ WITH (3.2)/.123 MAX. INSULATION DIA. 6835-*, 18-24 GAJ WITH (.279)/.110 MAX. INSULATION DIA. 7258-*, (.22-26 GAJ WITH (.165)/.065 MAX. INSULATION DIA.
 7. LAST CIRCUIT ID. NOT PRESENT ON 2-3 CIRCUIT HOUSINGS AND MAY OR MAY NOT BE PRESENT ON 4 CIRCUIT HOUSINGS AND LARGER.
 8. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
 9. SEE SHEET 2 FOR OPTIONS.

CODE	HOOKE	SIDE HOOKE	RAMP
BLANK	NONE	NONE	NONE
A	NONE	YES	NONE
R	NONE	NONE	FRICTION
B	NONE	NONE	TYPE B
C	NONE	NONE	TYPE C


6442- * N - * - * - *

- VOLTAGE RATING OPTION
BLANK=NONE
V= 250 VAC ON HOUSING
- MAT'L. OPTION
BLANK= MATERIAL A (SEE NOTE 1)
- MOLDED VOID CODE
Z=NO VOIDS
A=CKT. 1 VOID,
B=CKT. 2 VOID, ETC.
5=1ST MULTIPLE VOID,
52=2ND MULTIPLE VOID, ETC.

NO. OF CKT'S.

REVISE NOTE 7 EC MOL. LCP2005-5588 DRAWN BY: 205/05/04 CHKD BY: 205/05/04 APPROVED BY: 205/05/04 DATE: 205/05/04	QUALITY SYMBOLS 4 PLACES ±.010 3 PLACES ±.010 2 PLACES ±.025 1 PLACE ±.036 0 PLACES ±.036	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH ±.010 ±.010 ±.025 ±.010 ±.036 ±.010		DIMENSION STYLE MM/IN		DRAWN BY: POLGAR DATE: 1986/12/03	TITLE: KK (3.96)/156 TRIFURCON CRIMP TERMINAL HOUSING 6442 SERIES
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY: PATTEL DATE: 1986/12/03		MATERIAL NO.: SEE CHART	DOCUMENT NO.: SD-6442
		ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO.: 1 OF 4	SHUREV.
		THIRD ANGLE PROJECTION		SCALE: 1:1		DESIGN UNITS: INCH	

NO. OF CKT'S.	DIM. A	DIM. B
1	(4.78) ±.18	(.88) ±.007
2	(3.96) ±.13	(.87) ±.007
3	(3.96) ±.13	(.87) ±.007
4	(3.96) ±.13	(.87) ±.007
5	(3.96) ±.13	(.87) ±.007
6	(3.96) ±.13	(.87) ±.007
7	(3.96) ±.13	(.87) ±.007
8	(3.96) ±.13	(.87) ±.007
9	(3.96) ±.13	(.87) ±.007
10	(3.96) ±.13	(.87) ±.007
11	(3.96) ±.13	(.87) ±.007
12	(3.96) ±.13	(.87) ±.007
13	(3.96) ±.13	(.87) ±.007
14	(3.96) ±.13	(.87) ±.007
15	(3.96) ±.13	(.87) ±.007
16	(3.96) ±.13	(.87) ±.007
17	(3.96) ±.13	(.87) ±.007
18	(3.96) ±.13	(.87) ±.007
19	(3.96) ±.13	(.87) ±.007
20	(3.96) ±.13	(.87) ±.007
21	(3.96) ±.13	(.87) ±.007
22	(3.96) ±.13	(.87) ±.007
23	(3.96) ±.13	(.87) ±.007
24	(3.96) ±.13	(.87) ±.007



tb_fronc_D_P_ME_T
Rev. E 2006/04/15