

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[5022795](#)

For any questions, you can email us directly:
sales@integrated-circuit.com



Extract from the online catalog

APK 1

Order No.: 5022795


The illustration shows a combination of versions APK 1, APK-HP and APK -TU



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022795>

Hinged cover profile, permits hinged covering of terminal strips when used with cover holder APK-TU and holding profile APK-HP; snaps into the holding profile APK-HP, dimensions: 95 x 50 mm

Commercial data

GTIN (EAN)	 4 017918 095291
sales group	B232
Pack	10 pcs.
Customs tariff	39162000
Catalog page information	Page 704 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	50 mm
Width (a)	95 mm
Color	transparent
Inflammability class acc. to UL 94	V2


APK 1 Order No.: 5022795

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022795>

Ambient temperature (operation)	-40 °C ... 115 °C
Components	free from silicone and halogen
Material	Polycarbonate PC

Diagrams/Drawings

Dimensioned drawing



APK 1 Order No.: 5022795

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022795>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;