

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[2896403](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## BC 53,6 UT HBUS BK

Order No.: 2896403


The figure shows a product version with a design width of 107.6 mm



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2896403>

Lower part for installation housing BC 53.6...

### Commercial data

GTIN (EAN)	 4 046356 103220
sales group	F061
Pack	10 pcs.
Customs tariff	85472000
Catalog page information	Page 555 (CC-2009)

### Product notes

WEEE/RoHS-compliant since:  
02/05/2007



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Housing type	Installation component housing
Housing material	polycarbonate
Color	black

#### Dimensions / positions

Length	89.7 mm
--------	---------

BC 53,6 UT HBUS BK Order No.: 2896403

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2896403>

---

Width	53.6 mm
<b>Technical data</b>	
Ambient temperature (operation)	-40 °C ... 125 °C
Inflammability class acc. to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	7.21 W

BC 53,6 UT HBUS BK Order No.: 2896403

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2896403>

---

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;