

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1644614](#)


For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## HC-B 24-SD-FQU/FS-AL


Order No.: 1644614



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1644614>

HEAVYCON protective cover, type B24, for supporting base element with double locking latch, with retaining cord, IP65, ALU

### Commercial data

GTIN (EAN)	 4 017918 904937
sales group	D093
Pack	10 pcs.
Customs tariff	76169990
Catalog page information	Page 550 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
03/01/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Design	B24
Type	For supporting base element with double locking latch
Locking type	For double locking latch
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C


HC-B 24-SD-FQU/FS-AL Order No.: 1644614

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1644614>

Material	Aluminum, die-cast
Material, protective cover	Al
Assembly instructions	Not for HC-B...EMC housings
Connection	The guide pins of the protective cover must be removed when using keying sockets, pins, and bolts.

## Diagrams/Drawings

Dimensioned drawing



HC-B 24-SD-FQU/FS-AL Order No.: 1644614  
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1644614>

---

#### Address

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;