

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1645862](#)

For any questions, you can email us directly:


[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## HC-M-BS-M32


Order No.: 1645862



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1645862>

Cover cap, metal, size: M32

### Commercial data

GTIN (EAN)	 4 017918 951115
sales group	D092
Pack	10 pcs.
Customs tariff	74153300
Catalog page information	Page 527 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
04/07/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Material	Nickel-plated brass
Material, O-ring	NBR
Thread type connection side 1	M32
Degree of protection	IP68
Color	silver
Ambient temperature (operation)	-20 °C ... 80 °C


HC-M-BS-M32 Order No.: 1645862

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1645862>

## Diagrams/Drawings

Dimensioned drawing

Filler plugs M32



HC-M-BS-M32 Order No.: 1645862

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1645862>

---

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;