

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1676776](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## HC-M-PN2-6,00-BU-V


Order No.: 1676776

The illustration shows versions, pneumatic male, female and female with valve

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1676776>



Pneumatics female connector with valve, for HC-M-PN2 module, cross section of hose 6.0 mm

Commercial data	
GTIN (EAN)	 4 017918 129408
sales group	D044
Pack	10 pcs.
Customs tariff	85369010
Catalog page information	Page 463 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
05/19/2006



<http://www.download.phoenixcontact.com>  
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

### Electrical characteristics

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

### Mechanical characteristics

Operating pressure, vacuum	6.00 bar
Internal diameter of pressure hose connection	6 mm
Insertion/withdrawal cycles	≥ 500

### General characteristics

Color	black
-------	-------

HC-M-PN2-6,00-BU-V Order No.: 1676776

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1676776>

---

**Material data**

Contact material	Delrin acetal
------------------	---------------

---

**Certificates / Approvals**



Certification

GOST, UL

---

HC-M-PN2-6,00-BU-V Order No.: 1676776

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1676776>

---

#### Address

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;