



**Distributor of Phoenix Contact: Excellent Integrated System Limited**  
Datasheet of 1701401 - Connector Header 16 (4 x 4 Ports) Position 0.079" (2.00mm) Gold  
Through Hole

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1701401](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## CIOC 4-4-FV

Order No.: 1701401



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1701401>

Header, Nominal current: 3 A, Number of positions: 4, Pitch: 2 mm, Color: black, Metal surface: Au, Assembly: Soldering

### Commercial data

GTIN (EAN)	
sales group	E194
Pack	50 pcs.
Customs tariff	85366990
Catalog page information	Page 177 (NTK-2010)

### Product notes

WEEE/RoHS-compliant since:  
02/25/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### Dimensions / positions

Pitch	2 mm
Dimension a	6 mm
Number of positions	4
Pin spacing	2.00 mm

CIOC 4-4-FV Order No.: 1701401

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1701401>

**Technical data**

Range of articles	CIOC-FV
Connection in acc. with standard	EN-VDE
Nominal current $I_N$	3 A
Nominal voltage $U_N$	32 V
Maximum load current	3 A
Insulating material	PA
Inflammability class acc. to UL 94	V0

**Certificates / Approvals**




Certification

CUL, UL

**Diagrams/Drawings**


Drilling plan/solder pad geometry



CIOC 4-4-FV Order No.: 1701401

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1701401>

Dimensioned drawing



CIOC 4-4-FV Order No.: 1701401

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1701401>

---

#### Address

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;