

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[3240028](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog


## C-RCI 6/M5

Order No.: 3240028



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240028>

Ring cable lug, yellow, 4-6 mm<sup>2</sup>, M5

Commercial data	
GTIN (EAN)	 4 046356 452052
sales group	B281
Pack	50 pcs.
Customs tariff	85369010
Catalog page information	Page 671 (CL-2009)

### Product notes

WEEE/RoHS-compliant since:  
09/22/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General</b>	
Length (b)	26.7 mm
Width (a)	9.5 mm
Color	yellow
Ambient temperature (operation)	-20 °C ... 105 °C
Components	Halogen-free


C-RCI 6/M5 Order No.: 3240028

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240028>

Material	Copper
Length of insulation sleeve (c)	14 mm
Inner dimension of the insulating collar (d)	6.6 mm
Distance between the center and the insulation sleeve (e)	8 mm
Inner diameter (f)	5.3 mm
Material thickness (g)	1 mm

### Diagrams/Drawings

Dimensioned drawing



C-RCI 6/M5 Order No.: 3240028

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240028>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;