

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[2867652](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



Extract from the online catalog

RAD-CAB-EF393- 5M

Order No.: 2867652

The illustration shows a version of the product



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867652>

Antenna cable, 5 m in length; N (male) -> N (male), attenuation approx. 0.45 dB/m at 2.4 GHz; impedance 50 ohms

Commercial data	
GTIN (EAN)	 4 017918 939021
sales group	H178
Pack	1 pcs.
Customs tariff	85442000
Catalog page information	Page 623 (IF-2009)

Product notes

WEEE/RoHS-compliant since:
09/03/2007



<http://www.download.phoenixcontact.com>
 Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General	
Connection 1	Plug connector connection
Type of connection	Type N (male)
Fixed cable length	5 m
Cable type	EF 393
Cable, attenuation	approx. 0.45 dB/m

RAD-CAB-EF393- 5M Order No.: 2867652

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867652>

Minimum bending radius	50.00 mm
External diameter	10.00 mm
Outer sheath, material	Radox (LSFH)
Connection name	Plug connector connection
Type of connection	Type N (male)
Note	Both sides
Ambient temperature (operation)	-40 °C ... 105 °C

RAD-CAB-EF393- 5M Order No.: 2867652

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867652>

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;