

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[On-Shore Technology, Inc.](#)

[OSTE2021100](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



SIGN	DATE	DESCRIPTION	APPROVER
THIS IS CAD DRAWING, DO NOT REVISE MANUALLY!!!			

Material

- Terminal body(metal housing): Brass(CuZn),Ni plated
- Terminal screw: Steel Zinc plating "-" slot type
- Wire guard: PhBz ,Tin plated
- Insulator (housing) Body: Thermoplastic (UL94V-0)
- Insulator (housing) Cover: Thermoplastic (UL94V-0)

Electrical cULus

- Voltage rating: 300VAC
- Current rating: 10A
- Wire range:
 - Solid wire(AWG): 14-28
 - Stranded wire(AWG): 14-28
- Torque: 1.7Lb-In
- Screw: M2
- Wire strip length: 6-7mm
- Withstanding Voltage: 1.6KV
- Operating temperature: -40°C to +115°C
- Safety Approval: cULus

RoHS Compliant

PART NUMBER:

OSTE2XX1130

- | | |
|---------------------|----------------------|
| No. of Poles | COLOR |
| 02 2 Poles | 0: Black |
| 03 3 Poles | 3: Orange (Standard) |
| ... | 5: Green |
| 24 24 Poles | 6: Blue |
| | 8: Grey |

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ON-SHORE TECHNOLOGY, INC. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ON-SHORE TECHNOLOGY, INC.

TITLE	OSTE2 3.5 SERIES Without flange																				
PART NO.	OSTE2XX1130																				
DWG NO.	OSTE2XX1130.DWG																				
APPROVED	CHECKED DESIGNED DRAWN CUST NO.																				
	<table border="0"> <tr> <td>Marvin 2008.05.16</td> <td>Marvin 2008.02.26</td> <td>Marvin 2008.02.26</td> <td></td> </tr> <tr> <td colspan="3"> </td> <td> <table border="0"> <tr> <td>UNIT: mm</td> <td>Tolerance</td> </tr> <tr> <td>SCALE: NONE</td> <td>X ±0.50</td> </tr> <tr> <td></td> <td>XX ±0.30</td> </tr> <tr> <td></td> <td>XXX ±0.10</td> </tr> <tr> <td></td> <td>X* ±1°</td> </tr> </table> </td> </tr> <tr> <td>SHEET: 01/01</td> <td>REV.: A</td> </tr> </table>	Marvin 2008.05.16	Marvin 2008.02.26	Marvin 2008.02.26					<table border="0"> <tr> <td>UNIT: mm</td> <td>Tolerance</td> </tr> <tr> <td>SCALE: NONE</td> <td>X ±0.50</td> </tr> <tr> <td></td> <td>XX ±0.30</td> </tr> <tr> <td></td> <td>XXX ±0.10</td> </tr> <tr> <td></td> <td>X* ±1°</td> </tr> </table>	UNIT: mm	Tolerance	SCALE: NONE	X ±0.50		XX ±0.30		XXX ±0.10		X* ±1°	SHEET: 01/01	REV.: A
Marvin 2008.05.16	Marvin 2008.02.26	Marvin 2008.02.26																			
			<table border="0"> <tr> <td>UNIT: mm</td> <td>Tolerance</td> </tr> <tr> <td>SCALE: NONE</td> <td>X ±0.50</td> </tr> <tr> <td></td> <td>XX ±0.30</td> </tr> <tr> <td></td> <td>XXX ±0.10</td> </tr> <tr> <td></td> <td>X* ±1°</td> </tr> </table>	UNIT: mm	Tolerance	SCALE: NONE	X ±0.50		XX ±0.30		XXX ±0.10		X* ±1°								
UNIT: mm	Tolerance																				
SCALE: NONE	X ±0.50																				
	XX ±0.30																				
	XXX ±0.10																				
	X* ±1°																				
SHEET: 01/01	REV.: A																				