

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[1061541000](#)


For any questions, you can email us directly:

sales@integrated-circuit.com


10 9 8 7 6 5 4 3 2 106154




SHOWN WITH DUST CAP
INSTALLED (NO MODULE)




SC-SC VERSIONS
SEE SHEET 3




SC-FC VERSIONS
SEE SHEET 4




SC-ST VERSIONS
SEE SHEET 5




SC-LC VERSION
SEE SHEET 6




LC-LC VERSIONS
SEE SHEET 7



LC-SC VERSION
SEE SHEET 8



LC-FC VERSION
SEE SHEET 9




LC-ST VERSION
SEE SHEET 10

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION			
EC NO: MF2010-0212		DRAWN: SERNST		mm		MM/IN		2.5:1	METRIC	UNIVERSAL EMI ADAPTER			
2009/11/09		2009/11/11		INCH		DATE		TITLE					
CHKO: APPR: SMIGO		2009/11/11		4 PLACES ±---		DRAWN BY		SERNST 2006/02/13					
REV		DESCRIPTION		3 PLACES ±---		CHECKED BY		DATE					
A4		▽=0		2 PLACES ±---		DSZILAGYI		2006/03/07					
		▽=0		1 PLACE ±---		APPROVED BY		DATE					
				ANGULAR ± 1 °		SMIGO		2006/03/07					
				DRAFT WHERE APPLICABLE		MATERIAL NO.		DOCUMENT NO.					
				MUST REMAIN		SEE TABLES		SD-106154-001					
				WITHIN DIMENSIONS		SIZE		SHEET NO.					
						B		1 OF 10					
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					


9 8 7 6 5 4 3 2 1

10 9 8 7 6 5 4 3 2 106154


MODULE P/N	TYPE	COLOR
1061540020	SC	BLUE
1061540022		BEIGE
1061540025		GREEN
1061540031	FC	BLUE
1061540033		BEIGE
1061540036		GREEN
1061540041	ST	BLUE
1061540043		BEIGE
1061540130	LC	BLUE
1061540131		BEIGE
1061540132		GREEN




SC



FC




ST




LC


BASE P/N	TYPE	SLEEVE MAT'L	TYPE
1061540010	SINGLE MODE	ZIRCONIA	SC BASE TO 2.5mm
1061540012	MULTIMODE	PHOS BRONZE	SC BASE TO 1.25mm
1061540013	SM/MM	NICKEL	SC BASE TO 1.25mm
1061540210	SINGLE MODE	ZIRCONIA	LC BASE TO 1.25mm
1061540212	MULTIMODE	PHOS BRONZE	LC BASE TO 1.25mm
1061540213	SM/MM	NICKEL	LC BASE TO 2.5mm




SC TO 2.5mm



SC TO 1.25mm



LC TO 1.25mm



LC TO 2.5mm

SLEEVE ASBY	TYPE	SLEEVE MAT'L	TYPE
1061540050	SINGLE MODE	ZIRCONIA	2.5mm
1061540051	MULTIMODE	PHOS BRONZE	2.5mm
1061540052	SINGLE MODE	ZIRCONIA	1.25mm
1061540053	MULTIMODE	PHOS BRONZE	1.25mm
1061540054	SM/MM	NICKEL	HYBRID 1.25 TO 2.5mm



2.5mm




1.25mm




HYBRID

DUST CAP
P/N 1061540006




ENTER DESCRIPTION EC NO: WF2010-0212 DRAWN: SERNST CHKD: SERNST APPR: SM1G0		2009/11/09 2009/11/11	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION ⊙	
					mm	INCH	DRAWN BY SERNST		DATE 2006/02/13	UNIVERSAL EMI ADAPTER		
				4 PLACES ± --- ± ---	CHECKED BY DSZILAGYI		DATE 2006/03/07					
				3 PLACES ± --- ± ---	APPROVED BY SM1G0		DATE 2006/03/07	MOLEX INCORPORATED				
				2 PLACES ± --- ± ---	ANGULAR ± 1°							
				1 PLACE ± --- ± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLES		DOCUMENT NO. SD-106154-001	SHEET NO. 2 OF 10		
A4			REV		SIZE B THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							






10	9	8	7	6	5	4	3	2	106154
ADAPTER P/N	STYLE	TYPE	SLEEVE MAT'L	MODULE COLOR	KEY SIZE (mm)				
1061541010	SC-FC	SINGLE MODE	ZIRCONIA	BLUE	2.3				
1061541015	SC-FC/APC			GREEN	2				
1061541011	SC-FC	MULTIMODE	PHOSPHOR BRONZE	BEIGE	2.3				

</




10 9 8 7 6 5 4 3 2 106154

ADAPTER P/N	STYLE	TYPE	SLEEVE MAT'L	MODULE COLOR
1061541030	SC-LC	SM OR MM	NICKEL	BEIGE




RECOMMENDED MOUNTING CUTOUT
(1.6mm THICK PANEL)



- NOTES:
- ALL DIMENSIONS ARE FOR REFERENCE ONLY.
 - PACKAGING: ADAPTERS AND DUSTCAPS ARE PACKED IN A PLASTIC TRAY.



ENTER DESCRIPTION EC NO: NF2010-0212 DRAWN: SERNST CHKD: 2009/11/11 APPR: SMIGO 2009/11/11	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM/IN		SCALE 2.5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
			mm		INCH		DRAWN BY SERNST	DATE 2006/02/13	TITLE UNIVERSAL EMI ADAPTER		
			4 PLACES ± --- ± ---		CHECKED BY		DATE				
			3 PLACES ± --- ± ---		DSZILAGYI		2006/03/07				
			2 PLACES ± --- ± ---		APPROVED BY		DATE				
			1 PLACE ± --- ± ---		SMIGO		2006/03/07				
			ANGULAR ± 1 °				MATERIAL NO.		DOCUMENT NO.	SHEET NO. 6 OF 10	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-106154-001		
			SIZE B				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			A4				REV				

9 8 7 6 5 4 3 2 1





10 9 8 7 6 5 4 3 2 106154

ADAPTER P/N	STYLE	TYPE	SLEEVE MAT'L	MODULE COLOR
1061541500	LC-SC	SM OR MM	NICKEL	BEIGE



RECOMMENDED MOUNTING CUTOUT
(1.6mm THICK PANEL)






- NOTES:
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
 2. PACKAGING: ADAPTERS AND DUSTCAPS ARE PACKED IN A PLASTIC TRAY.


ENTER DESCRIPTION EC NO: MF2010-0212 DRAWN: SERNST CHKD: CHYKD APPR: SMIGO A4	QUALITY SYMBOLS ▽=0 ▽=0 REV	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM/IN		SCALE 2.5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		mm		INCH		DRAWN BY SERNST	DATE 2006/02/13	TITLE UNIVERSAL EMI ADAPTER			
		4 PLACES ± --- ± ---		CHECKED BY DATE							
		3 PLACES ± --- ± ---		DSZILAGYI 2006/03/07							
		2 PLACES ± --- ± ---		APPROVED BY DATE							
		1 PLACE ± --- ± ---		SMIGO 2006/03/07							
		ANGULAR ± 1 °				MATERIAL NO.		DOCUMENT NO.	SHEET NO. 8 OF 10		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-106154-001			
						SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10 9 8 7 6 5 4 3 2 106154

ADAPTER P/N	STYLE	TYPE	SLEEVE MAT'L	MODULE COLOR
1061541510	LC-FC	SM OR MM	NICKEL	BEIGE



RECOMMENDED MOUNTING CUTOUT
(1.6mm THICK PANEL)



NOTES:



1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
2. PACKAGING: ADAPTERS AND DUSTCAPS ARE PACKED IN A PLASTIC TRAY.

ENTER DESCRIPTION EC NO: MF2010-0212 DRWN: SERNST CHKD: CHYKO APPR: SMIGO	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION A4	REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2.5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY	DATE	TITLE		
				4 PLACES	± ---	± ---	SERNST	2006/02/13	UNIVERSAL EMI ADAPTER		
				3 PLACES	± ---	± ---	CHECKED BY	DATE			
				2 PLACES	± ---	± ---	DSZILAGYI	2006/03/07			
				1 PLACE	± ---	± ---	APPROVED BY	DATE			
				ANGULAR ± 1 °		SMIGO	2006/03/07	 MOLEX INCORPORATED			
				DRAFT WHERE APPLICABLE		MATERIAL NO.		DOCUMENT NO.			SHEET NO.
				MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-106154-001			9 OF 10
						SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			


9 8 7 6 5 4 3 2 1

10 9 8 7 6 5 4 3 2 106154

ADAPTER P/N	STYLE	TYPE	SLEEVE MAT'L	MODULE COLOR
1061541520	LC-ST	SM OR MM	NICKEL	BEIGE



RECOMMENDED MOUNTING CUTOUT
(1.6mm THICK PANEL)



- NOTES:
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
 2. PACKAGING: ADAPTERS AND DUSTCAPS ARE PACKED IN A PLASTIC TRAY.

ENTER DESCRIPTION EC NO: NF2010-0212 DRAWN: SERNST CHKD: CHYKO APPR: SMIGO A4	DESCRIPTION QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM/IN		SCALE 2.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		mm		INCH		DRAWN BY DATE		TITLE			
		4 PLACES ± ---		± ---		SERNST 2006/02/13		UNIVERSAL EMI ADAPTER			
		3 PLACES ± ---		± ---		CHECKED BY DATE					
		2 PLACES ± ---		± ---		DSZILAGYI 2006/03/07					
		1 PLACE ± ---		± ---		APPROVED BY DATE					
		ANGULAR ± 1 °				SMIGO 2006/03/07		MOLEX MOLEX INCORPORATED			
		DRAFT WHERE APPLICABLE				MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
		MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-106154-001		10 OF 10	
		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9 8 7 6 5 4 3 2 1