

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Energizer Battery Company ELMCL21L

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Energizer Battery Company: Excellent Integrated System Limited Datasheet of ELMCL21L - FLASHLT CLIPON LED 110LM AA(2) Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

PRODUCT DATASHEET

Ultimate[®] 2AA Metal Light

Energizer.

ILTIMATE

HIGH-TECH

- Advanced Azoteq IQ Switch[®] circuitry
- Pulse width modulation
 Adjustable brightness
- Adjustable brightness
- Up to 24-hour run time
 on lowest setting

BRIGHT

 Cree high intensity, lifetime LED provides a maximum of 110 lumens

DURABLE

- Machined aircraft aluminum casing
- S500 Poly (organo) siloxane coated shatterproof lens
- Passes 3-meter drop test

WATERPROOF

 Meets IEC 60529 IPX7 standards – 1 m. for 30 minutes



ANSI FL 1

110

LUMENS

ANSI FL 1

ANSI FL 1

1 m

ELMCL21L

The ELMCL21L has a wealth of high-tech features. An advanced Azoteq IQ Switch® adjusts brightness to your desired level. Pulse width modulation maximizes battery life, allowing 24 hours of runtime on a low light setting. The shatterproof lens is coated with S500 Poly(organo) siloxane for superior hardness and weathering resistance.

In addition the light boasts convenience features like a sturdy belt clip, a comfortable hand grip and an automatic 30-minute shutoff. The pushbutton tail-switch regulates brightness with the touch of a finger. Powered by light weight, long-lasting lithium batteries, the ELMCL21L is your lighting choice when only the best will do.

27mm


Before Using Your Flashlight: Please read all instructions and cautionary markings on the package and light

Product Detail:

| Designation: | Energizer |
|-----------------------|---------------------------------------|
| | Ultimate [®] 2AA Metal Light |
| Model: | ELMCL21L |
| Color: | Gunmetal Gray |
| Power Source: | Two "AA" |
| ANSI/NEDA: | 15-LF Series |
| Lamp: | One Cree High Intensity White LED |
| Lamp Life (hr): | Lifetime |
| Lamp Output (lumens): | 110 |
| Run Time (h:mm): | 3 |
| Typical Weight: | 114.8 grams |
| | with lithium batteries |
| Dimensions (mm): | 157 x 27 |


Performance:





Battery Type

Tested according to ANSI/NEMA FL 1 Standards.



Energízer.

Form No. EBC 9398A