

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0761558603](#)

For any questions, you can email us directly:


sales@integrated-circuit.com




CONVERT TO LEAD LINE DATE: 05/14/2019 BY: J. H. HANNA APPROVED: [Signature]	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED): FINISH: 12.5 MICRONS DIMENSIONS: 0.005 INCH ANGULAR: ±1/2° DRAFT WHERE APPLICABLE WITHIN DIMENSIONS	DIMENSION STYLE: MM ONLY DRAWN: MANSBERG CHECKED BY: J. H. HANNA APPROVED BY: J. H. HANNA DATE: 05/14/2019	SCALE: 4:1 DESIGN UNITS: METRIC THIRD ANGLE PROJECTION	TITLE: RIGHT & PAIR HEAD IMPACT GUIDE ASSEMBLY SALES DRAWING 	SHEET NO. 1 OF 3
--	---------------------	---	--	--	--	------------------

PART NUMBER TABLE

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM 'A'	DIM 'B'
76155-#3**	6	24	19.3	9.50
76155-#8**	8	32	23.1	13.30
76155-#1**	10	40	26.9	17.10
76155-#6**	16	64	38.3	28.50

GUIDE RIGHT
END WALL
OPTIONGUIDE RIGHT
END WALL
OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM 'A'	DIM 'B'
76155-#3**	6	24	17.9	9.50
76155-#8**	8	32	21.7	13.30
76155-#1**	10	40	25.5	17.10
76155-#6**	16	64	36.9	28.50

GUIDE RIGHT
OPEN WALL
OPTIONGUIDE RIGHT
OPEN WALL
OPTION

PART NUMBER LOGIC

76155-****

MODULE TYPE

5 = GUIDE RIGHT, TIN

9 = GUIDE RIGHT END WALL, TIN

PIN LENGTH (P)

3 = 4.50 (SHORT COMPLIANT, 0.46±0.05 PTH)

4 = 4.90 (SHORT COMPLIANT, 0.46±0.05 PTH)

5 = 5.50 (SHORT COMPLIANT, 0.46±0.05 PTH)

6 = 4.50 (MICRO COMPLIANT, 0.39±0.05 PTH)

7 = 4.90 (MICRO COMPLIANT, 0.39±0.05 PTH)

8 = 5.50 (MICRO COMPLIANT, 0.39±0.05 PTH)

OF COLUMNS

1 = 10 COL

3 = 6 COL

6 = 16 COL

8 = 8 COL

KEY ORIENTATION

0 = NO KEY

1 = A

2 = B

3 = C

4 = D


5 = E

6 = F



7 = G

8 = H

SEE SHEET 1 EC NO: UCP2013-2078 DRAWN: IBARRA CHKD: BINGHAM APPR: MILLER 2012/11/26 2012/12/18 2012/12/13	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE IMPACT 4 PAIR HEADER RIGHT GUIDED ASSEMBLY SALES DRAWING molex		
			mm		INCH		DRAWN BY MSANDBERG	DATE 2007/19/07	DOCUMENT NO.					
			4 PLACES ±		±		CHECKED BY JLAURX	DATE 2007/19/07	SHEET NO.					
			3 PLACES ±		±		2 OF 3							
			2 PLACES ±		±		SD-76155-003							
			3 PLACES ±		±		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
			2 PLACES ±		±									
			1 PLACE ±		±									
			0 PLACE ±		±									
			ANGULAR ±1/2°		±									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		±												



IMPACT 4 PAIR
BOARD RELATIONSHIPS



SEE SHEET 1	DATE: 2012/11/26	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE			
	EC NO: UCP2013-2078			(UNLESS SPECIFIED)		MM ONLY		2:1	METRIC					
	DESIGN: IBARRA			mm	INCH	DRAWN BY	DATE	IMPACT 4 PAIR HEADER RIGHT GUIDED ASSEMBLY SALES DRAWING molex						
	CHKD: B INGHAM			4 PLACES ± --- ± ---	MSANDBERG	2007/19/07	SEE TABLE					SD-76155-003		
	APPR: MILLER			3 PLACES ± --- ± ---	CHECKED BY	DATE							SHEET NO.	
				2 PLACES ± 0.13 ± ---	JLAURX	2007/19/07								3 OF 3
				1 PLACE ± 0.25 ± ---	APPROVED BY	DATE								
				0 PLACE ± ±	JLAURX	2010/10/15	MATERIAL NO.		DOCUMENT NO.					
				ANGULAR ± 1/2°		SEE TABLE		SD-76155-003				SHEET NO.		
				DRAFT WHERE APPLICABLE		SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				3 OF 3		
	MUST REMAIN WITHIN DIMENSIONS													