

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0850420957](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



ENTER DESCRIPTION IEC NO: 12009-0082 2008/08/20 CHICKKPRASAD 2008/08/25 APPR:KPRASAD 2008/08/26	QUALITY SYMBOLS $\nabla=0$ $\nabla=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES \pm ---	3 PLACES \pm ---	2 PLACES \pm ---	1 PLACE \pm ---	DRAWN BY SUMESH 2008/08/13	DATE 2008/08/13	TITLE 48 POS. FEMALE CONNECTOR DIN 41612, STYLE C/2 DIMENSIONS
		ANGULAR \pm ---		MATERIAL NO. 850426115	DOCUMENT NO. SD-85042-0002	SHEET NO. 1 OF 1		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

VIEW ON MATING SIDE

U	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Q	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
T	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

A = 48 STANDARD CONTACTS L-4,5

Marking	Standard
Performance level	G2/0 = Contact area level2 / Termination fin
Flux proof	yes
Fixing clip	no
Dimensions	SDA-85042-0002 sht.1
Technical Data	PS-85042-0001

A	G2/0	dl-16	bl-16	cl-16
Contact symbol	Per form.	Contact position number		

first release	see ECN No. 2154
REVISIONS	FOR PREVIOUS REVISIONS SEE MRL LIST

UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°	DRWG BY	SIGN	CAD/CAM PROJECT NAME	REVISE ONLY ON CAD SYSTEM	SH. REV.
3 PLACE ± .	Ca		s8504209		
2 PLACE ± .	CHK'D BY		S51		
1 PLACE ± .	KN				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX, INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	SHEET NO.	DATE
TITLE	1 OF 1	96/05/23
48 pos. female connector		
acc. DIN 41612 style C/2		
contacts arrangement		
MOLEX EUROPE		
PART NO.	DWG NO.	SIZE
85042-0957	SDA-85042-0957	A

IF TWO DIMENSIONS ARE SHOWN, THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY

DRIFT, WHERE APPLICABLE, MUST REMAIN WITHIN DIMENSIONS

DESIGN DIMENSION	<input type="checkbox"/> MM	<input type="checkbox"/> IN.
EQUIVALENT DIMENSION	<input type="checkbox"/> MM	<input type="checkbox"/> IN.

SCALE

FOR PREVIOUS REVISIONS SEE MRL LIST