

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[1060320100](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



NOTES:

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

*2. P/NS 106032-5020, 106032-0140, 106032-5310, 106032-5990 AND 106032-0910 ARE BULK PACKED IN QUANTITIES OF 100 pcs.

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: ZHANG CHKD: CHEN APPR: LGMIN REV: B1	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
		mm INCH		DRAWN BY DATE RPAFCI C 2005/12/22		TITLE SC CONNECTOR (TUNABLE)			
		4 PLACES	±--- ±---	CHECKED BY DATE					
		3 PLACES	±--- ±---	APPROVED BY DATE		MOLEX MOLEX INCORPORATED			
		2 PLACES	±--- ±---	MATERIAL NO. DOCUMENT NO.		SD-106032-XXX0			
		1 PLACE	±--- ±---	SEE TABLE		1 OF 3			
		ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							

10		9		8		7		6		5		4		3		2		1							
CONNECTOR P/N		Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)		CONNECTOR P/N		Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)											
F	106032-0000	127	BLUE	BLUE	MULTIMODE	3		106032-3000	128	BLUE	BLUE	MULTIMODE	3												
	106032-0900					2.0 & 1.6 DUPLEX		106032-3900					2.0 & 1.6 DUPLEX												
	106032-0100					1.6 SIMPLEX		106032-3100					1.6 SIMPLEX												
	106032-0050					3		106032-3060					3												
	106032-0950		2.0 & 1.6 DUPLEX			106032-3960	2.0 & 1.6 DUPLEX			BEIGE	BEIGE		3												
106032-0150	1.6 SIMPLEX		106032-3160	1.6 SIMPLEX																					
106032-0060	3		106032-3050	2.0 & 1.6 DUPLEX																					
106032-0910*	2.0 & 1.6 DUPLEX		106032-3950	1.6 SIMPLEX																					
E	106032-0960		BEIGE	BEIGE		MULTIMODE	1.6 SIMPLEX			106032-3150	WHITE		BEIGE	3											
	106032-0140*						3			106032-3080				2.0 & 1.6 DUPLEX											
	106032-0160						2.0 & 1.6 DUPLEX			106032-3980				1.6 SIMPLEX											
	106032-0080						3			106032-3180				3											
	106032-0980	2.0 & 1.6 DUPLEX		106032-3070	2.0 & 1.6 DUPLEX		RED	RED	1.6 SIMPLEX																
106032-0180	1.6 SIMPLEX		106032-3970	3																					
106032-0070	3		106032-3170	2.0 & 1.6 DUPLEX																					
106032-0970	2.0 & 1.6 DUPLEX			1.6 SIMPLEX																					
D	106032-0170	BLACK	BLACK	MULTIMODE	1.6 SIMPLEX			BLACK	BLACK	3															
	106032-2000				3					2.0 & 1.6 DUPLEX															
	106032-2900				2.0 & 1.6 DUPLEX					1.6 SIMPLEX															
	106032-2100				1.6 SIMPLEX					3															
	106032-2050	WHITE	BLUE		SINGLE MODE	3			2.0 & 1.6 DUPLEX		RED							RED	1.6 SIMPLEX						
106032-2950	2.0 & 1.6 DUPLEX						3																		
106032-2150	1.6 SIMPLEX						2.0 & 1.6 DUPLEX																		
106032-2080	3						1.6 SIMPLEX																		
106032-2980	2.0 & 1.6 DUPLEX					3		BLACK	BLACK	2.0 & 1.6 DUPLEX															
106032-2180	1.6 SIMPLEX					3																			
106032-2070	3					2.0 & 1.6 DUPLEX																			
106032-2970	2.0 & 1.6 DUPLEX					1.6 SIMPLEX																			
106032-2170	1.6 SIMPLEX																								

ENTER DESCRIPTION

EC NO: MF2007-0445

DESIGNER: DR. W. K. ZHANG

CHKD: CHYD

APPR: GUMIN

REV: B1

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

mm

INCH

4 PLACES

3 PLACES

2 PLACES

1 PLACE

± ---

± ---

± ---

± ---

± ---

± ---

± ---

± ---

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

DIMENSION STYLE

IN/MM

DRAWN BY

DATE

RPACIFIC1

2005/12/22

CHECKED BY

DATE

APPROVED BY

DATE

MATERIAL NO.

DOCUMENT NO.

SEE TABLE

SD-106032-XXX0

SHEET NO.

2 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SC CONNECTOR (TUNABLE)

MOLEX INCORPORATED

ib_fraze_B_P_ME_T

Rev. D 2004/04/02

9

8

7

6

5

4

3

2

1

	10		9		8		7		6		5		4		3		2		106032
	CONNECTOR P/N	Ø (mm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)				CONNECTOR P/N	Ø (mm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)				
F	106032-4000	125	YELLOW	BLUE	SINGLE MODE	3				106032-6000	125.5	YELLOW	BLUE	SINGLE MODE	3				F
	106032-4900					2.0 & 1.6 DUPLEX	106032-6900	2.0 & 1.6 DUPLEX											
	106032-4100					1.6 SIMPLEX	106032-6100	1.6 SIMPLEX											
	106032-4050					3	106032-7000	3											
	106032-4950					2.0 & 1.6 DUPLEX	106032-7900	2.0 & 1.6 DUPLEX											
106032-4150	WHITE		BLUE	1.6 SIMPLEX		106032-7100	1.6 SIMPLEX												
106032-4080				3		106032-7050	3												
106032-4980				2.0 & 1.6 DUPLEX		106032-7950	2.0 & 1.6 DUPLEX												
106032-4180				1.6 SIMPLEX		106032-7150	1.6 SIMPLEX												
106032-4070				3		106032-7080	3												
106032-4970	RED	RED	2.0 & 1.6 DUPLEX	106032-7980	2.0 & 1.6 DUPLEX														
106032-4170			1.6 SIMPLEX	106032-7180	1.6 SIMPLEX														
106032-5000			126	YELLOW	BLUE	SINGLE MODE	3	106032-7070	3										
106032-5020*							2.4	106032-7970	2.0 & 1.6 DUPLEX										
106032-5300							2.0 & 1.6 DUPLEX	106032-7170	1.6 SIMPLEX										
106032-5310*	1.6 SIMPLEX																		
106032-5900	WHITE	BLUE					3												
106032-5990*				2.0 & 1.6 DUPLEX															
106032-5100				1.6 SIMPLEX															
106032-5050				3															
106032-5950				RED	RED		2.0 & 1.6 DUPLEX												
106032-5150	1.6 SIMPLEX																		
106032-5080	3																		
106032-5980	2.0 & 1.6 DUPLEX																		
106032-5180	BLACK	BLACK	1.6 SIMPLEX																
106032-5070			3																
106032-5970			2.0 & 1.6 DUPLEX																
106032-5170			1.6 SIMPLEX																
B																			
A																			