

## Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[1060345900](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



|   |                               |  |  |   |              |                                |                        |
|---|-------------------------------|--|--|---|--------------|--------------------------------|------------------------|
| ENTER DESCRIPTION<br>EC NO: ME2006-0318<br>DRAWN: SADUSK/ENE 2005/11/17<br>CHKD: 2005/11/18<br>APPR: GUMIN 2005/11/18<br>REV: A | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)  |  | DIMENSION STYLE<br>IN/MM  | SCALE<br>4:1 | DESIGN UNITS<br>INCH           | THIRD ANGLE PROJECTION |
|   |                               | 4 PLACES ± --- ± ---<br>3 PLACES ± --- ± ---<br>2 PLACES ± --- ± ---<br>1 PLACE ± --- ± ---<br>ANGULAR ±1/2° | mm INCH<br>DRAWN BY RPACIFIC1 DATE 2005/10/04<br>CHECKED BY DATE<br>APPROVED BY DATE 2005/11/15<br>MATERIAL NO. 1.GUM IN<br>MOLEX INCORPORATED | TITLE<br>SC FIBER CHANNEL DUPLEX CONNECTOR  |              | DOCUMENT NO.<br>SD-106034-XXX0 | SHEET NO.<br>1 OF 02   |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS  |                               | SEE TABLE  |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |              |                                |                        |

| CONNECTOR P/N | ØD H9                                   | HOUSING COLOR | BOOT COLOR     | CONNECTOR TYPE | FIBER OPTIC CABLE SIZE (mm) |
|---------------|---|---------------|----------------|----------------|-----------------------------|
| 106034-0000   | 127 <sup>+0.0</sup> / <sub>-0.0</sub>   | BEIGE         | BEIGE          | MULTIMODE      | 3.0                         |
| 106034-0900   |   |               |                |                | 2.0&1/6 DUPLEX              |
| 106034-0100   |   | BLACK         | BLACK          |                | 1.6 SMPLEX                  |
| 106034-0070   |   |               |                |                | 3.0                         |
| 106034-0970   |   |               |                |                | 2.0&1/6 DUPLEX              |
| 106034-0170   |   |               |                |                | 1.6 SMPLEX                  |
| 106034-0080   | RED                                     | RED           | 3.0            |                |                             |
| 106034-0980   |   |               | 2.0&1/6 DUPLEX |                |                             |
| 106034-0180   | 125.5 <sup>+0.0</sup> / <sub>-0.0</sub> | BLUE          | BLUE           | SINGLE MODE    | 1.6 SMPLEX                  |
| 106034-2000   |   |               |                |                | 3.0                         |
| 106034-2900   |   |               |                |                | 2.0&1/6 DUPLEX              |
| 106034-2100   |   |               |                |                | 1.6 SMPLEX                  |
| 106034-3000   |   |               |                |                | 3.0                         |
| 106034-3900   |   |               |                |                | BEIGE                       |
| 106034-3910   | YELLOW                                  |               |                |                |                             |
| 106034-3920   | WHITE                                   |               |                |                |                             |
| 106034-3100   | BEIGE                                   |               |                |                |                             |
| 106034-3070   | 128 <sup>+0.0</sup> / <sub>-0.0</sub>   | BLACK         | BLACK          | 3.0            |                             |
| 106034-3970   |   |               |                | 2.0&1/6 DUPLEX |                             |
| 106034-3170   |   |               |                | 1.6 SMPLEX     |                             |
| 106034-3080   |   | RED           | RED            | 3.0            |                             |
| 106034-3980   |   |               |                | 2.0&1/6 DUPLEX |                             |
| 106034-3180   |   |               |                | 1.6 SMPLEX     |                             |
| 106034-5000   | 126 <sup>+0.0</sup> / <sub>-0.0</sub>   | BLUE          | BLUE           | SINGLE MODE    | 3.0                         |
| 106034-5900   |   |               |                |                | 2.0&1/6 DUPLEX              |
| 106034-5100   |   |               |                |                | 1.6 SMPLEX                  |
| 106034-6000   |   |               |                |                | 3.0                         |
| 106034-6900   | 125.5 <sup>+0.0</sup> / <sub>-0.0</sub> | BLUE          | BLUE           | SINGLE MODE    | 2.0&1/6 DUPLEX              |
| 106034-6100   |   |               |                |                | 1.6 SMPLEX                  |

|   |                               |   |   |                           |                                |  |                        |   |  |
|---|-------------------------------|---|---|---------------------------|--------------------------------|--|------------------------|---|--|
| ENTER DESCRIPTION<br>EC NO: MF-2006-0378<br>DRAWN: SODAWSKI 2005/11/17<br>CHKD: 2005/11/18<br>APPR: IGUMIN 2005/11/18<br>REV: A | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)   |   | DIMENSION STYLE<br>IN/MM  | SCALE<br>4:1                   | DESIGN UNITS<br>INCH                       | THIRD ANGLE PROJECTION |   |  |
|   |                               | 4 PLACES ±--- ±---<br>3 PLACES ±--- ±---<br>2 PLACES ±--- ±---<br>1 PLACE ±--- ±--- | mm INCH<br>±--- ±---<br>±--- ±---<br>±--- ±---<br>±--- ±--- | DRAWN BY<br>RPACIFICI     | DATE<br>2005/10/04             | TITLE<br>SC FIBER CHANNEL DUPLEX CONNECTOR |                        |   |  |
|   |                               | ANGULAR ±1/2°   |   | APPROVED BY<br>I.GUMIN    | DATE<br>2005/11/15             | MOLEX INCORPORATED                         |                        |   |  |
|   |                               | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS                                |   | MATERIAL NO.<br>SEE TABLE | DOCUMENT NO.<br>SD-106034-XXX0 | SHEET NO.<br>2 OF 02                       |                        | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |