

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[5006002079](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



注記:
NOTES:


1. 材質
MATERIAL
ハウジング: PPS、ガラス充填、茶色、UL94V-0
HOUSING: PPS (POLYPHENYLENE SULFIDE),
GLASS FILLED, BROWN, UL94V-0
ターミナル: 黄銅 (l=0.2)
TERMINAL: BRASS (l=0.2)
2. メッキ仕様
PLATING
ターミナル
TERMINAL
接点部: 金メッキ 0.76マイクロメートル以上
CONTACT AREA: GOLD 0.76 MICROMETER MINIMUM
半田付け部: 鉛メッキ2.0マイクロメートル以上
SOLDER TAIL AREA: TIN 2.0 MICROMETER MINIMUM
下地メッキ: ニッケルメッキ 1.5マイクロメートル以上
UNDER PLATING: NICKEL 1.5 MICROMETER MINIMUM
3. テールのバラッキ寸法
TAIL COPLANARITY
テール平坦度は、0.1ミリメートル以下。
TAIL COPLANARITY TO BE 0.1 MAXIMUM.

4. 本製品は、500600-***7の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 500600-***7.


65.37	62.865	68.47	500600-2079	500600-2077	200
C	B	A	スティック梱包 STICK PACKAGING	製品番号 MATERIAL NO.	極数 CIRCUITS

RELEASED EC NO: J2005-2118 DRAWN: YSUGIURA CHKD: NIKITA APPR: NIKITA	DESCRIPTION 2005/01/24 2005/01/25 2005/01/28	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		10 UNDER	±0.2	DRAWN BY YSUGIURA	DATE 2005/01/21	TITLE 0.635 MM PITCH B/B CONN. PLUG HSG ASSY -LEAD FREE-		
		10 OVER 30 UNDER	±0.25	CHECKED BY KTOJO	DATE 2005/01/21	MOLEX INCORPORATED		
		30 OVER	±0.3	APPROVED BY NIKITA	DATE 2005/01/21	DOCUMENT NO. SD-500600-003	SHEET NO. 1 OF 1	
ANGULAR ±3°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

10 9 8 7 6 5 4 3 2 1



△ スティック内での製品の向きと両端固定方法



注記
NOTES.

- △ スティック片端はキャップ止め、反対側はテープ止め。
ONE END WITH CAP, ANOTHER WITH TAPE.
- 2. 全長: 600±2
TOTAL LENGTH
- 3. 肉厚: 0.6±0.2
THICKNESS
- 4. 材料 スティック: ポリ強化ビニル
MATERIAL STICK: P.V.C.
- 5. 本製品は、500600-***9 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 500600-***9.

8	500600-2079	200
梱包数 QUANTITY	製品番号 MATERIAL NO.	種数 CIRCUITS
---	◎	THIRD ANGLE PROJECTION

RELEASED EC NO: J2005-2118 DRAWN: YSUGIURA CHKD: NUKITA APPR: NUKITA REV: 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	10 UNDER	± 0.2	DRAWN BY YSUGIURA	DATE 2005/01/21	TITLE 500600-**77 STICK PACKAGING -LEAD FREE-		
	10 OVER 30 UNDER	± 0.25	CHECKED BY KTOJO	DATE 2005/01/21			
	30 OVER	± 0.3	APPROVED BY NUKITA	DATE 2005/01/21	MOLEX INCORPORATED DOCUMENT NO. SD-500600-004		
ANGULAR	± 3 °	MATERIAL NO. SEE CHART		SHEET NO. 1 OF 1			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			