



Distributor of Molex Connector Corporation: Excellent Integrated System Limited
Datasheet of 5023860472 - Connector Receptacle 4 Position 0.049" (1.25mm) Tin Surface
Mount, Right Angle

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor



Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[5023860472](#)







For any questions, you can email us directly:

sales@integrated-circuit.com

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



SECTION Z-Z

カプトンテープ付き
WITH KAPTON TAPE

嵌合図

MATED CONNECTORS

NOTES

1. 嵌合相手: 502380-****
MATE WITH: 502380-****
2. 端子テール部 及び ネイルの平坦度: 0.1MAX.
TAIL AND NAIL COPLANARITY TO BE 0.1 MAX.
3. 極数/2=偶数に適用。
APPLY FOR CKT. SIZE / 2 = EVEN.
4. 端子テール部 及び ネイルに錫めっきを使用しているため、
外観に摺動痕が付く場合が御座います。
THE WOUND OF FRICTION MIGHT ADHERE TO EXTERNALS
BECAUSE THE TIN PLATING IS USED FOR THA TAIL AND NAIL.
5. 本製品のプラスチック部に黒点等が確認される場合や
色合いが異なる場合がありますが、製品性能に影響はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH
THE BLACK SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC PART
OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
6. ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT

3.4	7.5	11	12.1	502386-07**	7
3.4	6.25	9.75	10.85	502386-06**	6
3.4	5	8.5	9.6	502386-05**	5
3.4	3.75	7.25	8.35	502386-04**	4
2.6	2.5	6	7.1	502386-03**	3
2.2	1.25	4.75	5.85	502386-02**	2
D	C	B	A	EMBOSSED TAPE PACKAGE オーダー番号ORDER No.	極数 (CKT. NO.)



番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	耐熱性樹脂 UL94V-0 色:SHEET 3 参照 HEATPROOF RESIN UL94V-0 COLOR: SEE SHEET 3
②	ターミナル TERMINAL	銅合金 COPPER ALLOY 錫めっき: 1.0 micro-meter MIN. TIN (TAIL AREA) ニッケルめっき(下地): 1.0 micro-meter MIN. NICKEL (UNDER PLATING)
③	ネイル NAIL	銅合金 COPPER ALLOY 錫めっき: 1.0 micro-meter MIN. TIN ニッケルめっき(下地): 1.0 micro-meter MIN. NICKEL (UNDER PLATING)

REVISED EC NO: J2013-0870 TIDRWAKASHIO CHKDKASAKAWA APPR:YOTO REV	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY T. MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE R/A REC. ASSY 2-7CKT. molex DOCUMENT NO. SD-502386-001		
		10 OVER 30 UNDER	± 0.25	CHECKED BY K. ASAKAWA	DATE 2006/08/28			
		30 OVER	± 0.3	APPROVED BY YO. ITO	DATE 2006/08/28			
		ANGULAR ± 3 °		MATERIAL NO.				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE				
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
SHEET NO. 1 OF 3								

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com





2 CKT.



5 CKT.





3 CKT.



6 CKT.







4 CKT.



7 CKT.

極数の種類
KIND OF CKT. NO.(FRONT VIEW)



REVISED	EC NO.	DRAWN BY	DATE	CHECKED BY	DATE	APPROVED BY	DATE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
1	J2013-0870	T.MIYAZAKI	2006/08/28	K.ASAKAWA	2006/08/28	Y.O.ITO	2006/08/28			2 OF 3
GENERAL TOLERANCES (UNLESS SPECIFIED) DIMENSION STYLE MM ONLY SCALE 5:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION TITLE 1.25 W/B CONN. SINGLE R/A REC. ASS'Y 2-7CKT. molex SD-502386-001 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										


Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

WITH CAPTON TAPE									
HSG COLOR : GREEN		HSG COLOR : BLUE		HSG COLOR : RED		HSG COLOR : BLACK		HSG COLOR : NATURAL	
502386-0736	502386-***16	502386-0734	502386-***14	502386-0732	502386-***12	502386-0731	502386-***11	502386-0772	502386-***08
502386-0636		502386-0634		502386-0632		502386-0631		502386-0672	
502386-0536		502386-0534		502386-0532		502386-0531		502386-0572	
502386-0436		502386-0434		502386-0432		502386-0431		502386-0472	
502386-0336		502386-0334		502386-0332		502386-0331		502386-0372	
502386-0236		502386-0234		502386-0232		502386-0231		502386-0272	
EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ
オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES

WITHOUT CAPTON TAPE									
HSG COLOR : GREEN		HSG COLOR : BLUE		HSG COLOR : RED		HSG COLOR : BLACK		HSG COLOR : NATURAL	
502386-0746	502386-***26	502386-0744	502386-***24	502386-0742	502386-***22	502386-0741	502386-***21	502386-0770	502386-***09
502386-0646		502386-0644		502386-0642		502386-0641		502386-0670	
502386-0546		502386-0544		502386-0542		502386-0541		502386-0570	
502386-0446		502386-0444		502386-0442		502386-0441		502386-0470	
502386-0346		502386-0344		502386-0342		502386-0341		502386-0370	
502386-0246		502386-0244		502386-0242		502386-0241		502386-0270	
EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ	EMBOSSED TAPE PACKAGE	コネクタ シリーズ
オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES


REVISED	EC NO. J2013-0870 TIDRINKAWASHIO CHKDASAKAWA APPR:Y.O.I TO	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE -----	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			10 UNDER	± 0.2	DRAWN BY	DATE	TITLE 1.25 W/B CONN. SINGLE R/A REC. ASS'Y 2-7CKT.				
			10 OVER 30 UNDER	± 0.25	T.MIYAZAKI	2006/08/28					
			30 OVER	± 0.3	CHECKED BY	DATE	molex				
			ANGULAR ± 3 °		K.ASAKAWA	2006/08/28					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			APPROVED BY	DATE	SD-502386-001			
						Y.O.I TO	2006/08/28				
						MATERIAL NO.	SEE TABLE				
						SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



NOTES

- 製品詳細寸法については、SD-502386-001、-002 を参照下さい。
PLEASE REFER TO SD-502386-001、-002 FOR THE DETAILED DIMENSION OF THE CONNECTOR.
- 梱包数量 : 1200個
NUMBER OF CONNECTIONS : 1200 PIECES/REEL.
- リードテープ長さ
LEAD TAPE LENGTH



- 材料
MATERIAL
キャリアテープ : ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ : ポリエステル、ポリエチレン、ポリエチレンテレフタレート
TOP TAPE : POLYESTER, POLYETHYLENE, POLYETHYLENE TEREPHTHALATE
リール : ポリスチレン <リサイクル材を含む>
REEL : POLYSTYRENE <RECYCLE MATERIAL CONTAINED>
- ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT

45.5	20.2	44	502386-15**	15
45.5	20.2	44	502386-14**	14
33.5	14.2	32	502386-13**	13
33.5	14.2	32	502386-12**	12
33.5	14.2	32	502386-11**	11
33.5	14.2	32	502386-10**	10
25.5	11.5	24	502386-09**	9
25.5	11.5	24	502386-08**	8
25.5	11.5	24	502386-07**	7
25.5	11.5	24	502386-06**	6
25.5	11.5	24	502386-05**	5
25.5	11.5	24	502386-04**	4
17.5	7.5	16	502386-03**	3
17.5	7.5	16	502386-02**	2

C	B	エンボステープ幅 A WIDTH OF TAPE	製品番号 MATERIAL NO.	極数 (XT. NO.)
---	---	-----------------------------	----------------------	-----------------

REVISED	EC NO.: J2013-0870 DRAWN: MASHIO CHKD: KASAKAWA APPR: Y. ITO	2013/02/07 2013/02/13 2013/02/13	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION			
				10 UNDER	± 0.2	DRAWN BY T. MIYAZAKI	DATE 2006/10/16	TITLE 1.25 W/B CONN. SINGLE R/A REC. EMBTP PKG					
				10 OVER 30 UNDER	± 0.25	CHECKED BY K. ASAKAWA	DATE 2006/10/16						
				30 OVER	± 0.3	APPROVED BY Y. ITO	DATE 2006/10/16						
				ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.					
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-502386-003					
						SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
								SHEET NO. 1 OF 2					




Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

WITHOUT CAPTON TAPE			WITH CAPTON TAPE												
HSG COLOR : ORANGE			HSG COLOR : GREEN			HSG COLOR : BLUE			HSG COLOR : RED			HSG COLOR : BLACK			
502386-**28	502386-0948	15	---	---	---	---	---	---	---	---	---	---	---	---	
	---	14	---	---	---	---	---	---	---	---	---	---	---	---	
	---	13	---	---	---	---	---	---	---	---	---	---	---	---	
	---	12	---	---	---	---	---	---	---	---	---	---	---	---	
	---	11	---	---	---	---	---	---	---	---	---	---	---	---	
	---	10	---	---	---	---	---	---	---	---	---	---	---	---	
	---	9	---	---	---	---	---	---	---	---	---	---	---	---	
	---	8	---	---	---	---	---	---	---	---	---	---	---	---	
	---	7	---	---	---	---	---	---	---	---	---	---	---	---	
	---	6	---	---	---	---	---	---	---	---	---	---	---	---	
502386-**16	502386-0736	7	502386-**14	502386-0734	502386-**12	502386-0732	502386-**11	502386-0731	502386-**08	502386-0772	502386-0772	502386-0672	502386-0572	502386-0472	
	502386-0636	6		502386-0634		502386-0632		502386-0631		502386-0672					
	502386-0536	5		502386-0534		502386-0532		502386-0531		502386-0572					
	502386-0436	4		502386-0434		502386-0432		502386-0431		502386-0472					
	502386-0336	3		502386-0334		502386-0332		502386-0331		502386-0372					
コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	極数 (KT. NO.)	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	極数 (KT. NO.)
	---	---		---		---		---		---		---		---	

WITHOUT CAPTON TAPE														
HSG COLOR : GREEN		HSG COLOR : BLUE		HSG COLOR : YELLOW		HSG COLOR : RED		HSG COLOR : BLACK		HSG COLOR : NATURAL				
502386-**26	502386-1546	502386-**24	502386-1544	502386-**23	---	502386-**22	502386-1542	502386-**21	502386-1541	502386-**09	502386-1570			
	502386-1446		502386-1444		---		502386-1442		502386-1441		502386-1470			
	502386-1346		502386-1344		---		502386-1342		502386-1341		502386-1370			
	502386-1246		502386-1244		---		502386-1242		502386-1241		502386-1270			
	502386-1146		502386-1144		---		502386-1142		502386-1141		502386-1170			
	502386-1046		502386-1044		---		502386-1042		502386-1041		502386-1070			
	502386-0946		502386-0944		502386-0943		502386-0942		502386-0941		502386-0970			
	502386-0846		502386-0844		---		502386-0842		502386-0841		502386-0870			
	502386-0746		502386-0744		---		502386-0742		502386-0741		502386-0770			
	502386-0646		502386-0644		---		502386-0642		502386-0641		502386-0670			
	502386-0546		502386-0544		---		502386-0542		502386-0541		502386-0570			
	502386-0446		502386-0444		---		502386-0442		502386-0441		502386-0470			
	502386-0346		502386-0344		---		502386-0342		502386-0341		502386-0370			
	502386-0246		502386-0244		---		502386-0242		502386-0241		502386-0270			
コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	コネクタ シリーズ CONNECTOR SERIES	製品番号 MATERIAL NO.	極数 (KT. NO.)
	---		---		---		---		---		---		---	

GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION			
10 UNDER				± 0.2		DRAWN BY T. MIYAZAKI		DATE 2006/10/16		TITLE 1.25 W/B CONN. SINGLE R/A REC. EMBTP PKG			
10 OVER 30 UNDER				± 0.25		CHECKED BY K. ASAKAWA		DATE 2006/10/16					
30 OVER				± 0.3		APPROVED BY Y.O. ITO		DATE 2006/10/16					
ANGULAR ± 3 °				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 2			
REVISED				SIZE A3		SEE TABLE		SD-502386-003					
IEC NO. J2013-0870				T. MIYAZAKI		K. ASAKAWA		Y.O. ITO		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
DRAWN BY T. MIYAZAKI				CHECKED BY K. ASAKAWA		APPROVED BY Y.O. ITO		DATE 2006/10/16					
2013/02/07				2013/02/13		2013/02/13							
CHIKO ASAKAWA				Y.O. ITO									
APPR: Y.O. ITO													

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



NOTES

1. 嵌合相手: 502380-****
MATE WITH: 502380-****
2. 端子テール部 及び ネイルの平坦度: 0.1MAX.
TAIL AND NAIL COPLANARITY TO BE 0.1 MAX.
3. 極数/2=偶数に適用。
APPLY FOR CKT. SIZE / 2 = EVEN.
4. 端子テール部 及び ネイルに錫めっきを使用しているため、
外観に摺動痕が付く場合が御座います。
THE WOUND OF FRICTION MIGHT ADHERE TO EXTERNALS
BECAUSE THE TIN PLATING IS USED FOR THE TAIL AND NAIL.
5. 本製品のプラスチック部に黒点等が確認される場合や
色合いが異なる場合がありますが、製品性能に影響はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH
THE BLACK SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC PART
OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
6. ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT

嵌合図
MATED CONNECTORS

3.4	7.5	11	12.1	502386-0707	7
3.4	6.25	9.75	10.85	502386-0607	6
3.4	5	8.5	9.6	502386-0507	5
3.4	3.75	7.25	8.35	502386-0407	4
2.6	2.5	6	7.1	502386-0307	3
2.2	1.25	4.75	5.85	502386-0207	2
D	C	B	A	EMBOSSED TAPE PACKAGE オーダー番号 ORDER No.	極数 CKT. NO.



番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	耐熱性樹脂 UL94V-0 色: ナチュラル HEATPROOF RESIN UL94V-0 COLOR: NATURAL
②	ターミナル TERMINAL	銅合金 COPPER ALLOY 金めっき: 0.1 micro-meter MIN. GOLD ニッケルめっき(下地): 1.0 micro-meter MIN. NICKEL (UNDER PLATING)
③	ネイル NAIL	銅合金 COPPER ALLOY 錫めっき: 1.0 micro-meter MIN. TIN ニッケルめっき(下地): 1.0 micro-meter MIN. NICKEL (UNDER PLATING)

RELEASED EC NO: J2016-0072 DRAWN: TAKAIKE CHKD: KASAKAWA 2015/07/21 2015/07/21 APPR: NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		0.25	UNDER	UNDER	±0.03	DRAWN BY	DATE	TITLE 1.25 W/B CONN. SINGLE R/A REC. ASSY 2-7CKT.			
		0.25	OVER	0.5	UNDER	±0.05	TAKAIKE				
		0.5	OVER	1.0	UNDER	±0.1	CHECKED BY	DATE			
		1.0	OVER	10	UNDER	±0.2	KASAKAWA	2015/07/21			
		10	OVER	30	UNDER	±0.2	APPROVED BY	DATE			
		30	OVER		±0.25	NUKITA	2015/07/21				
		ANGULAR			±3 °	MATERIAL NO.		DOCUMENT NO.		SHEET NO. 1 OF 2	
						SEE TABLE		SD-502386-006			
		A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com





2 CKT.



5 CKT.





3 CKT.



6 CKT.





4 CKT.





7 CKT.

極数の種類
KIND OF CKT. NO.(FRONT VIEW)



SECTION Y-Y



RELEASED EC NO. J2016-0012 DRWN: TAKAIKE CHKD: KASAKAWA APPR: NUKITA REV A	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		0.25 UNDER	UNDER	±0.03	DRAWN BY	DATE	TITLE 1.25 W/B CONN. SINGLE R/A REC. ASS'Y 2-7CKT. molex DOCUMENT NO. SD-502386-006 SHEET NO. 2 OF 2			
		0.25 OVER	0.5 UNDER	±0.05	TAKAIKE	2015/02/23				
		0.5 OVER	1.0 UNDER	±0.1	CHECKED BY	DATE				
		1.0 OVER	10 UNDER	±0.2	KASAKAWA	2015/07/21				
		10 OVER	30 UNDER	±0.25	APPROVED BY	DATE				
		30 OVER		±0.3	NUKITA	2015/07/21				
		ANGULAR ±3 °			MATERIAL NO.					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE					
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			