

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[TE Connectivity AMP Connectors](#)
[557715-2](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

THIS DRAWING IS UNPUBLISHED.
© COPYRIGHT 1986 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

REVISIONS

REV	DATE	BY	CHKD	LTR	DESCRIPTION	DATE	APP'D
AA	23	A	P		E REV; EC0210-0797-94	1-24-85	TJS

MATERIAL; HOUSING- LCP POLYESTER MOLDING COMPOUND,BLACK.
STRAIN RELIEF - NYLON, FLAME RETARDED MOLDING COMPOUND,BLACK.
TERMINALS- 0.254 (.010) THICK PHOSPHOR BRONZE PLATED WITH 1.27 um (.000050) MINIMUM THICK GOLD IN CONTACT AREA AND 3.8 um (.000150) MINIMUM THICK TIN-LEAD ON SOLDER TINES OVER 2.54 um (.000100) MINIMUM THICK NICKEL UNDERPLATE.
DETENTION CLIPS- TIN-LEAD OVER NICKEL PLATED BRASS.

DIMENSIONS ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.

DESIGNATIONS IN PARENTHESES () ARE FOR REFERENCE ONLY.

STRAIN RELIEF

DETENTION CLIP
2 REQUIRED

TERMINAL
AS REQUIRED,
SEE TABLE

HOUSING

19.59 ±0.51
[.771 ±.020]

DIM B ±0.08
[±.003]

DIM A ±0.13
[±.005]

1 ±0.31
[.039 ±.012]

PIN 1

(4) (5)

KEYING FEATURE IS ALWAYS LOCATED BETWEEN PIN 4 AND PIN 5

2.88 ±0.1
[.113 ±.004]

4.7 ±0.2
-0.1
[.185 ±.008
-.004]

3.75
[.148]

SUPERSEDED BY 558314-1

DIM B	DIM A	POSITIONS	PART NO
16.26 (.640)	22.4 (.882)	9 KEYED	557715-3
23.8 (.937)	30.02 (1.182)	15 KEYED	557715-2

DO NOT SCALE PRINT.
UNLESS SPECIFIED
DIMENSIONS IN MM (INCHES)
TOLERANCES ON:
2 PLG DEC ±
3 PLG DEC ±
ANGLES
MATERIAL

DR 6-30-82
RK BARBER
DW 11-5-82
D. FURLEY
APRO 11-6-82
E. MARSH
PRODUCT SPEC

FINISH

APPLICATION SPEC

WEIGHT

SIZE CAGE CODE
D 00779

DRAWING NO
C=557715

SCALE B:1

SHEET 1 OF 2

AMP Incorporated
Harrisburg, PA 17105-3608

PLUG ASSEMBLY,
MEMORY CARD

CUSTOMER DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONSULTED FOR THE LATEST REVISION.

AMP 1750-2 REV 9-82



Distributor of TE Connectivity AMP Connectors: Excellent Integrated System Limited

Datasheet of 557715-2 - CONN PCMCIA CARD PUSH-PULL

