

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0150200116

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



one company > a world of innovation

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION Part Number: 0150200116 Status: Active Premo-Flex[™] Cable Jumpers **Overview:** 0.50mm Pitch Premo-Flex™ FFC Jumper, Opposite Side Contacts (Type D), 10 **Description:** Circuits, 0.305m Cable Length, 0.27mm Cable Thickness, Gold (Au) Plating **Documents:** Drawing (PDF) Packaging Specification PK-15020-001 (PDF) Product Specification PS-15020-001 (PDF) RoHS Certificate of Compliance (PDF) Series image - Reference only General Product Family Cable 15020 Series EU ELV Not Reviewed Comments Contacts on opposite sides, Type D Crimp Quality Equipment Yes EU RoHS China RoHS Premo-Flex[™] Cable Jumpers Overview Premo-Flex™FFC Jumper **Not Reviewed** Product Name REACH SVHC UPC 884982175785 Not Reviewed Physical Halogen-Free Cable Length 0.305m Status Circuits (Loaded) 10 Not Reviewed Circuits (maximum) 10 Need more information on product Net Weight 0.985/g environmental compliance? Packaging Type Bag Email productcompliance@molex.com Pitch - Termination Interface 0.50mm Temperature Range - Operating -40°C to +105°C Please visit the Contact Us section for any non-product compliance questions. Wire Size AWG N/A Wire/Cable Type Flat Flex Cable China ROHS Not Reviewed ELV Not Reviewed Electrical Current - Maximum per Contact 0.5A 60V AC Voltage - Maximum Search Parts in this Series Material Info 15020 Series **Reference - Drawing Numbers** PK-15020-001 Packaging Specification Use With **Product Specification** PS-15020-001 <a href="www.molex.com/link/ffc-Sales Drawing SD-15020-001

This document was generated on 03/03/2016

fpc.html">Molex FFC – FPC connector. Be sure to match like plating

This document was generated on 03/03/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION