

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)  
[0717193000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



ITEM NUMBER	PRODUCT DESCRIPTION	ADDITIONAL COMPONENT REQUIREMENTS (SEE NOTE 6)	FRONT SHELL PLATING	
J	71719-3000	200 CKT I/O PLUG CONNECTOR SUB-ASSEMBLY	FOUR (4) .050" PITCH LFH, 50 CIRCUIT MALE INSERT-MOLDED CONTACT STRIPS (P/N 71715-4002)	BRIGHT TIN
I	71719-3009	200 CKT I/O PLUG CONNECTOR SUB-ASSEMBLY	FOUR (4) .050" PITCH LFH, 50 CIRCUIT MALE INSERT-MOLDED CONTACT STRIPS (P/N 71715-4002)	BRIGHT NICKEL



- NOTES:
- MATERIALS:  
THE INTERNAL PLASTIC HOUSING IS GLASS FILLED LCP (LIQUID CRYSTAL POLYMER), RATED U.L. 94 V-0, COLOR IS BLACK; THE FRONT AND BACK SHELLS ARE DEEP DRAWN STEEL, .020" AND .016" THICK RESPECTIVELY.
  - FINISH:  
FRONT SHELL:  
BRIGHT TIN: 150-250 MICROINCHES BRIGHT TIN OVER 50-150 MICROINCHES NICKEL OVER COPPER FLASH OVERALL (OPTIONAL).  
BRIGHT NICKEL: 100-175 MICROINCHES BRIGHT NICKEL OVER 50 MICROINCHES MAXIMUM COPPER OVERALL.  
BACK SHELL:  
150-250 MICROINCHES BRIGHT TIN OVER 50-150 MICROINCHES NICKEL OVER COPPER FLASH OVERALL (OPTIONAL).
  - PARTS CONFORM TO MOLEX PRODUCT SPECIFICATION \*PS-71719-9999.
  - PARTS CONFORM TO MOLEX APPLICATION SPECIFICATION \*AS-71719-9998.
  - THE INSERT-MOLDED CONTACT STRIPS THAT ARE NEEDED TO COMPLETE THIS CABLE ASSEMBLY ARE SUPPLIED SEPARATELY; SEE THE CHART ABOVE AND THE MOLEX SALES DRAWING \*SDA-71715-4002 FOR THE DESCRIPTION AND DIMENSIONS.
  - THE CONNECTOR SUB-ASSEMBLY SHOWN ON THIS DRAWING IS PACKAGED PER MOLEX SPECIFICATION \*PK-70873-0255.

ADD 71719-3009 IEC NO: UCF2006-0666 DRWING BARBA 2006/02/06 CHK KUSUMINGAN 2006/02/07 APPR: SMILLER 2006/02/09 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																	
	$\nabla=0$ $\sphericalangle=0$	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>3 PLACES</td> <td>±---</td> <td>±.010</td> </tr> <tr> <td>2 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>1 PLACE</td> <td>±---</td> <td>±---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±.010	2 PLACES	±---	±---	1 PLACE	±---	±---	<table border="1"> <thead> <tr> <th>DRAWN BY</th> <th>DATE</th> <th>TITLE</th> </tr> </thead> <tbody> <tr> <td>GLT</td> <td>95/05/15</td> <td>.050 PITCH LFH, 200 CKT MALE HOUSING/SHIELD SUB-ASS'Y FOR CABLE APP</td> </tr> <tr> <th>CHECKED BY</th> <th>DATE</th> <td></td> </tr> <tr> <td>GLT</td> <td>95/05/15</td> <td></td> </tr> <tr> <th>APPROVED BY</th> <th>DATE</th> <td></td> </tr> <tr> <td>GWF</td> <td>95/05/15</td> <td></td> </tr> </tbody> </table>	DRAWN BY	DATE	TITLE	GLT	95/05/15	.050 PITCH LFH, 200 CKT MALE HOUSING/SHIELD SUB-ASS'Y FOR CABLE APP	CHECKED BY	DATE		GLT	95/05/15		APPROVED BY	DATE		GWF	95/05/15		4:1	INCH	
		mm	INCH																																				
	4 PLACES	±---	±---																																				
3 PLACES	±---	±.010																																					
2 PLACES	±---	±---																																					
1 PLACE	±---	±---																																					
DRAWN BY	DATE	TITLE																																					
GLT	95/05/15	.050 PITCH LFH, 200 CKT MALE HOUSING/SHIELD SUB-ASS'Y FOR CABLE APP																																					
CHECKED BY	DATE																																						
GLT	95/05/15																																						
APPROVED BY	DATE																																						
GWF	95/05/15																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE SIZE C	DOCUMENT NO. SDA-71719-3*** THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	MOLEX MOLEX INCORPORATED		SHEET NO. 2 OF 2																																		