

## Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[0015311121](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)





パネル板厚 2mm MAX  
 パネルスロット寸法  
 (SCALE 1:1)

一般公差	
10未満	±0.2
10以上30未満	±0.25
30以上	±0.3
角度	±3°

15-31-1123	5025-12P1	無
15-31-1121	5025-12P	有
EDP NO.	ENG. NO.	MTG. EAR

			公差 (Tolerances) .000 → ±0.005 .00 → ±0.05 .0 → ±0.1 . → ±0.3	所要数 (Req) *	DRWG. <i>Y. Awano</i> 9/29/77
			材料 (MAT'L) NYLON 66, 94V-Z		DSN'D <i>M. ENDO</i> 10/10/77
E	REVISED ECN NO. 1499	11/30/79	熱処理 (H.T.) HRc — # —		CHK'D <i>W. Shiraishi</i>
D	ADDED -12P1 ECN NO. 917	9/5/78	仕上げ (Finish) — # —		APP'D <i>W. Shiraishi</i>
C	REMOVED "X" ECN NO. 748	3/18/78	Scale		
B	リットル, パネルスロット, サキット NO.	12/9/77	名称 (Name)		
A	REVISED	10/28/77			
O	PROPOSED	9/29/77			

**molex** MOLEX-JAPAN CO., LTD.  
 日本モレックス株式会社

No. **SD-5025-12P\*** REV. **E**