



Distributor of Harting: Excellent Integrated System Limited

Datasheet of 09642117230 - D-Sub Connector Receptacle, Female Sockets 15 Position Free Hanging (In-Line) Solder Cup

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Harting](#)

[09642117230](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

5	4	3	2	1																																																		
D			<p>Max wire ϕ 1,0 mm</p>																																																			
C			<p style="text-align: center;">Minimum insertion loss</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FREQUENCY (MHz)</th> <th>ATTENUATION dB</th> </tr> </thead> <tbody> <tr><td>5</td><td>1dB</td></tr> <tr><td>10</td><td>3dB</td></tr> <tr><td>50</td><td>12dB</td></tr> <tr><td>100</td><td>20dB</td></tr> <tr><td>500</td><td>34dB</td></tr> <tr><td>1000</td><td>30dB</td></tr> </tbody> </table>		FREQUENCY (MHz)	ATTENUATION dB	5	1dB	10	3dB	50	12dB	100	20dB	500	34dB	1000	30dB																																				
FREQUENCY (MHz)	ATTENUATION dB																																																					
5	1dB																																																					
10	3dB																																																					
50	12dB																																																					
100	20dB																																																					
500	34dB																																																					
1000	30dB																																																					
B																																																						
A	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td></td> <td></td> <td>Det.</td> <td>Name</td> <td rowspan="3" style="text-align: center;"> All Dim. in mm Orig. Size DIN A 4 </td> <td rowspan="3" style="text-align: center;"> D-Sub, Female, Straight 15 Poles, with turned solder bucket and hole </td> <td rowspan="3" style="text-align: center;"> Me/MS tab/ Scale 1.5:1 </td> </tr> <tr> <td></td> <td></td> <td></td> <td>Detail.</td> <td>8-JUL-02</td> <td>CV</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Insp.</td> <td>12/01/12</td> <td>JB</td> </tr> <tr> <td></td> <td>36283</td> <td>12/01/12</td> <td>SD</td> <td>Stand.</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>31570</td> <td>06/11/03</td> <td>AF</td> <td colspan="2" style="text-align: center;">HARTING EURL</td> <td rowspan="2" style="text-align: center;">TB 09642117230</td> <td rowspan="2" style="text-align: center;">Blatt/ Page 1 / 1</td> </tr> <tr> <td></td> <td>31058</td> <td>8-JUL-02</td> <td>CV</td> <td colspan="2" style="text-align: center;">F-95972 Paris</td> </tr> <tr> <td></td> <td>Mod.</td> <td>Det.</td> <td>Name</td> <td colspan="2" style="text-align: center;"> </td> <td>Sub.</td> <td></td> </tr> </table>					Det.	Name	 All Dim. in mm Orig. Size DIN A 4	D-Sub, Female, Straight 15 Poles, with turned solder bucket and hole	Me/MS tab/ Scale 1.5:1				Detail.	8-JUL-02	CV				Insp.	12/01/12	JB		36283	12/01/12	SD	Stand.					31570	06/11/03	AF	HARTING EURL		TB 09642117230	Blatt/ Page 1 / 1		31058	8-JUL-02	CV	F-95972 Paris			Mod.	Det.	Name			Sub.			
			Det.	Name	 All Dim. in mm Orig. Size DIN A 4	D-Sub, Female, Straight 15 Poles, with turned solder bucket and hole	Me/MS tab/ Scale 1.5:1																																															
			Detail.	8-JUL-02							CV																																											
			Insp.	12/01/12				JB																																														
	36283	12/01/12	SD	Stand.																																																		
	31570	06/11/03	AF	HARTING EURL		TB 09642117230	Blatt/ Page 1 / 1																																															
	31058	8-JUL-02	CV	F-95972 Paris																																																		
	Mod.	Det.	Name			Sub.																																																