

Distributor of Molex Connector Corporation: Excellent Integrated System Limited
Datasheet of 0190050008 - Connector Quick Connect Receptacle 14-16 AWG 0.250"
(6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0190050008

For any questions, you can email us directly: sales@integrated-circuit.com



### **Distributor of Molex Connector Corporation: Excellent Integrated System Limited**

Datasheet of 0190050008 - Connector Quick Connect Receptacle 14-16 AWG 0.250" (6.35mm) Crimp



Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 03/04/2016

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0190050008 Status: Active

Standard Quick-Disconnect Terminals Overview:

**Description:** InsulKrimp™ Fully Insulated Coupler, Female, for 14-16 AWG Wire, Continuous

Molded Strip

**Documents:** Drawing (PDF)

Product Specification PS-19902-011 (PDF) Product Specification PS-19902-008 (PDF) RoHS Certificate of Compliance (PDF)

**Agency Certification** 

CSA LR18689 UL E79133

General

**Product Family Quick Disconnects** 

19005 Series Crimp Quality Equipment Yes Insulated Fully

Standard Quick-Disconnect Terminals Overview

**Product Name** InsulKrimp™ Quick Disconnect Type UPC 800753030534

**Physical** 

Barrel Type Closed Color - Resin Blue Flammability 94V-2 Female Gender Glow-Wire Compliant Yes Insulation Nylon (PA) Lock to Mating Part None Material - Metal Brass Material - Plating Mating Tin Material - Plating Termination Tin Material - Resin Nylon Net Weight 1.359/g Orientation Straight Packaging Type Reel Polarized to Mating Part No Tab Thickness 0.81mm Tab Width 6.35mm Temperature Range - Operating -65°C to +105°C Wire Insulation Diameter 4.19mm max. Wire Size AWG 14, 16 Wire Size mm<sup>2</sup> 1.30-2.00

Electrical

Voltage - Maximum 600V


**Material Info** 

Old Part Number BB-2263C

**Reference - Drawing Numbers** 

**Product Specification** PS-19902-008, PS-19902-011

Sales Drawing SD-19005-001



**China RoHS** 

**EU ELV Not Relevant** 

EU RoHS

REACH SVHC Not Contained Per

-ED/79/2015 (17 December 2015) Halogen-Free **Status** Low-Halogen

Need more information on product environmental compliance?

Email productcompliance@molex.com Please visit the Contact Us section for any non-product compliance questions.

China ROHS Green Image ELV Not Relevant

Search Parts in this Series

19005 Series

Use With

19004-0005, 19004-0008

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product # Mini-Mac™ 0638832600 Applicator ACP Perishable 0190280024

Tool Kit used in ACP presses that process continuous molded

product



# Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190050008 - Connector Quick Connect Receptacle 14-16 AWG 0.250" (6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 03/04/2016

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION