

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0190170016

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190170016 - Connector Quick Connect Receptacle 14-16 AWG 0.205" (5.21mm) Crimp



<u>Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com</u>

This document was generated on 03/07/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION			
Part Number: Status: Overview: Description:	0190170016 Active Standard Quick-Disconnect InsulKrimp™ Quick Disconr Tab 5.21+D422 x 0.81mm	<u>Terminals</u> ect, Female, for 14-16 (2.00-1.30mm²) Wire, Mylar Tape,	
	n PS-19902-008 (PDF) n PS-19902-011 (PDF)	Product Specification PS-19902-015 (PDF) RoHS Certificate of Compliance (PDF)	Series image - Reference only
General Product Family Series		Quick Disconnects 19017	EU ELV Not Relevant
Crimp Quality Equipr Insulated Overview Product Name Type	nent	Yes Partial <u>Standard Quick-Disconnect Terminals</u> InsulKrimp™ Quick Disconnect	EU RoHS China RoHS Not Reviewed REACH SVHC Not Reviewed
UPC Physical Barrel Type		800753035904 Closed	Halogen-Free Status Not Reviewed Need more information on product
Color - Resin Gender Glow-Wire Complian Insulation	t	Blue Female No PVC	environmental compliance? Email <u>productcompliance@molex.com</u> Please visit the <u>Contact Us</u> section for any
Lock to Mating Part Material - Metal Material - Plating Ma Material - Plating Tel		None Brass Tin Tin	non-product compliance questions. China ROHS Green Image ELV Not Relevant
Net Weight Orientation Packaging Type Polarized to Mating F		0.625/g Straight Adhesive Tape on Reel No	Search Parts in this Series
Tab Thickness Tab Width Temperature Range Wire Insulation Diam	- Operating	0.81mm 5.21mm -50°C to +105°C 3.70mm max.	Application Tooling FAQ Tooling specifications and manuals are
Wire Size AWG Wire Size mm ²		14, 16 1.30-2.00	found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.
Voltage - Maximum Material Info		600V	Global Product # Description Product # ATP Crimp Dies 0192880104 for the Tape Crimp 0192880104
Old Part Number Reference - Drawin Product Specificatior Sales Drawing		BB-2191-032T PS-19902-008, PS-19902-011, PS-19902-015 SD-19017-003	for the Tape Crimp Module and ATP-101 & 301 Press

This document was generated on 03/07/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION