

Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190110036 - Connector Quick Connect Receptacle/Tab 18-22 AWG 0.250" (6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0190110036

For any questions, you can email us directly: sales@integrated-circuit.com



### **Distributor of Molex Connector Corporation: Excellent Integrated System Limited**

Datasheet of 0190110036 - Connector Quick Connect Receptacle/Tab 18-22 AWG 0.250" (6.35mm) Crimp



2ontact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 03/09/2016

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0190110036 Status: Active

Standard Quick-Disconnect Terminals Overview:

**Description:** InsulKrimp™ Piggyback Quick Disconnect, Tab 6.35 x 0.81mm, 18-22 AWG, Red

Insulator, Reel

**Documents:** 

Drawing (PDF) Product Specification PS-19902-011 (PDF) Product Specification PS-19902-008 (PDF) RoHS Certificate of Compliance (PDF)

**Agency Certification** 

CSA LR18689 UL E79133

General

**Product Family Quick Disconnects** 

19011 Crimp Quality Equipment Yes Insulated Partial

Standard Quick-Disconnect Terminals Overview

**Product Name** InsulKrimp™ Quick Disconnect Type UPC 822350948753

**Physical** 

Barrel Type Closed Color - Resin Red Flammability 94V-0 Female Gender Glow-Wire Compliant No Insulation PVC Lock to Mating Part No Material - Metal Brass Material - Plating Mating Tin Material - Plating Termination Tin Material - Resin PVC Net Weight 1.026/g Orientation Straight Packaging Type Reel Polarized to Mating Part Yes Tab Thickness 0.81mm Tab Width 6.35mm Temperature Range - Operating 105°C Wire Insulation Diameter 2.79mm max. Wire Size AWG 18, 20, 22

**Electrical** 

600V AC Voltage - Maximum

**Solder Process Data** 

Lead-freeProcess Capability N/A


Material Info

Old Part Number AA-2301T

**Reference - Drawing Numbers** 

PS-19902-008, PS-19902-011 **Product Specification** 

Sales Drawing SD-19011-004



**China RoHS** 

**EU ELV** Not Relevant

EU RoHS **Not Reviewed** 

**REACH SVHC** Not Reviewed Halogen-Free <u>Status</u>

**Not Reviewed** 

Need more information on product environmental compliance?

Email productcompliance@molex.com Please visit the Contact Us section for any non-product compliance questions.

China ROHS Not Reviewed ELV Not Relevant

Search Parts in this Series

19011 Series

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product # ATP Crimp Dies 0198002120

for the Tape Crimp Module and ATP-101 & 301 Press



# Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190110036 - Connector Quick Connect Receptacle/Tab 18-22 AWG 0.250" (6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 03/09/2016

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION