

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0878580450](#)



For any questions, you can email us directly:

sales@integrated-circuit.com

CKT SIZE	DIMENSION			PART NO. IN TAPE & REEL PACKAGING	PART NO. IN TRAY PACKAGING	CKT SIZE	PEG	PLATE OPT.	VOID POSITION	KAPTON TAPE	DIMENSION					PACKAGING TYPE
	A	B	C								F	SOLDER TAIL		KAPTON TAPE		
	M	P	W									L				
02	4.00	2.00	-	-	87858-0002	2	Y	1	----	N	8.00	3.20	2.80	-	-	-
04	8.00	6.00	4.00	87858-0250	-	2	N	1	----	Y	8.00	3.20	2.80	4.00	3.00	T1
06	12.00	10.00	8.00	87858-0003	87858-0001	2	Y	1	----	N	10.80	6.00	2.80	-	-	T2
08	16.00	14.00	12.00	87858-0005	87858-0006	2	N	1	----	N	10.80	6.00	2.80	-	-	T2
10	20.00	18.00	16.00	-	87858-0004	4	Y	1	----	N	8.00	3.20	2.80	-	-	-
12	24.00	22.00	20.00	87858-0450	-	4	N	1	----	Y	8.00	3.20	2.80	4.00	4.00	T1
14	28.00	26.00	24.00	87858-0460	-	4	N	1	----	Y	8.97	4.17	2.80	4.00	4.00	T1
16	32.00	30.00	28.00													
18	36.00	34.00	32.00													
20	40.00	38.00	36.00													

ADD P/N: 87858-0005 EC No: S2011-0457 DRAWN BY: DRWNSKANG 2010/11/18 CHK'D BY: CHKDATSEE 2010/11/29 APPR: HLONG 2010/12/01 REV: C4	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	$\nabla=0$ $\nabla=0$	4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	MM ONLY	NTS	METRIC	<input checked="" type="checkbox"/> THIRD ANGLE PROJECTION
	DRAWN BY: KSEE DATE: 2003/11/14 CHECKED BY: DATE: KCLING DATE: 2003/12/15 APPROVED BY: DATE: PTLIM DATE: 2003/12/15	TITLE: CUSTOM HEADER 2MM SINGLE ROW HDR IN SMT WITH PEG, BREAKAWAY		MOLEX INCORPORATED		MATERIAL NO. SEE TABLE DOCUMENT NO. SD-87858-001
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 2 OF 3	

PACKAGING TYPE	CKT	DIMENSION					PACKABLE QTY
		BoA	Ao	K2	F	W	
T1	2	5.00	8.50	4.40	7.50	16.00	1200
	4	9.00	8.50	4.40	11.50	16.00	1200
T2	2	11.40	5.00	4.20	11.50	24.00	2000




PART IN TAPE & REEL ORIENTATION (FOR REF. ONLY)


PART IN TAPE & REEL ORIENTATION (FOR REF. ONLY)

NOTES:

1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf. (PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



- 3. MATERIAL: BLACK P.S CONDUCTIVE, THICKNESS 0.40±0.10.
- 4. PACKAGING STANDARD IS AS PER EIA-481.
- 5. THE TAPE IS TREATED FOR ANTI-STATIC.

ADD P/N: 87858-0005 EC No. S2011-0457 DRAWN: KWANG 2010/11/18 CHECKED: SEE 2010/11/29 APPROV: HLONG 2010/12/01 REV: C4	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0 ▽=0	4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.2 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °	MM ONLY	NTS	METRIC	DRAWN BY DATE KSEE 2003/11/14 CHECKED BY DATE KCLING 2003/12/15 APPROVED BY DATE PTLIM 2003/12/15	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	CUSTOM HEADER 2MM SINGLE ROW HDR IN SMT WITH PEG, BREAKAWAY MOLEX INCORPORATED		SHEET NO.
			SEE TABLE	SD-87858-001			3 OF 3