

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0151670463

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



molex[®] one company > a world of innovation

Part Number: 0151 Status: Acti	<u>670463</u> ve	
	-Flex™ Cable Jumpers	
	m Pitch Premo-Flex™ FFC Jumper, Same Side Contacts (Type A), 28 C	Circuits
	n Cable Length, Cable Thickness 0.12mm, Tin (Sn) Plating	
	, (-,	
Documents:		
Drawing (PDF)	Packaging Specification PK-15167-001 (PDF)	
Product Specification PS-151	RoHS Certificate of Compliance (PDF)	
General		Series image - Reference only
Product Family	Cable	
Series	<u>15167</u>	EU ELV
Comments	Contacts on the same side, Type A	Not Reviewed
Crimp Quality Equipment	Yes	FU Delle Chine Delle
Overview	Premo-Flex [™] Cable Jumpers	EU RoHS China RoHS Not Reviewed
Product Name	Premo-Flex™FFC Jumper	REACH SVHC
UPC	884982853461	Not Reviewed
Physical		Halogen-Free
Cable Length	0.305m	Status
Circuits (Loaded)	28	Not Reviewed
Circuits (maximum)	28	Need more information on product
Net Weight	1.000/g	environmental compliance?
Packaging Type	Bag	
Pitch - Termination Interface	1.00mm	Email productcompliance@molex.com
Temperature Range - Operati	ng -40°C to +105°C	Please visit the <u>Contact Us</u> section for any
Wire Size AWG	N/A	non-product compliance questions.
Wire/Cable Type	Flat Flex Cable	China ROHS Not Reviewed
Electrical		ELV Not Reviewed
Current - Maximum per Conta	ct 1.2A	
Voltage - Maximum	60V AC	
0		Search Parts in this Series
Material Info		<u>15167</u> Series
Reference - Drawing Numbe		
Packaging Specification	PK-15167-001	Use With
Product Specification	PS-15167-001	<a href="www.molex.com/link/ffc-</td></tr><tr><td>Sales Drawing</td><td>SD-15167-001</td><td>fpc.html">Molex FFC – FPC connector
		Be sure to match like plating

This document was generated on 03/07/2016

This document was generated on 03/07/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION