

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0151680267

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



molex[®] one company > a world of innovation

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION			
		<u>npers</u> ex™ FFC Jumper, Same Side Contacts (Type A), 20 Circuits, able Thickness 0.12mm, Tin (Sn) Plating	
Documents: Drawing (PDF) Product Specificati	ion PS-15168-001 (PDF)	Packaging Specification PK-15168-001 (PDF) RoHS Certificate of Compliance (PDF)	
General			Series image - Reference only
Product Family Series		Cable 15168	EU ELV
Comments		Contacts on the same side, Type A	Not Reviewed
Crimp Quality Equipment Overview		Yes	EU RoHS China RoHS
Product Name		<u>Premo-Flex™ Cable Jumpers</u> Premo-Flex™FFC Jumper	Not Reviewed
UPC		884982856776	REACH SVHC
0FC		004902030770	Not Reviewed
Physical			Halogen-Free
Cable Length		0.178m	Status
Circuits (Loaded)		20	Not Reviewed
Circuits (maximum)		20	Need more information on product
Net Weight		1.000/g	environmental compliance?
Packaging Type		Bag	
Pitch - Termination Interface		1.25mm	Email productcompliance@molex.com
Temperature Range - Operating		-40°C to +105°C	Please visit the <u>Contact Us</u> section for any
Wire Size AWG		N/A	non-product compliance questions.
Wire/Cable Type		Flat Flex Cable	China ROHS Not Reviewed
Electrical			ELV Not Reviewed
Current - Maximum per Contact		1.4A	
Voltage - Maximun	n	60V AC	
Material Info			Search Parts in this Series 15168 Series
Reference - Draw			
Packaging Specification		PK-15168-001	Use With
Product Specification		PS-15168-001	<a href="www.molex.com/link/ffc-</td></tr><tr><td colspan=2>Sales Drawing</td><td>SD-15168-001</td><td>fpc.html">Molex FFC – FPC connector<!--</td-->

This document was generated on 03/04/2016

This document was generated on 03/04/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Be sure to match like plating