

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[Molex Connector Corporation](#)
[0716609960](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

NOTES:

- 1) MATERIALS:
HOUSING- LCP, GLASS FILLED, 94V-0, BLACK.
TERMINALS- COPPER ALLOY
METAL PEGS- COPPER ALLOY
 - 2) FINISH:
TERMINALS:
.00030/(0.00076) MINIMUM GOLD IN CONTACT AREA OVER
.000050/(0.00127) MINIMUM TIN IN TAIL AREA OVER
.000075/(0.00191) MINIMUM NICKEL UNDERPLATE OVERALL.
 - 3) ASSEMBLY MATES WITH MOLEX P/N SDA-71661-****.
 - 4) CONFORMS TO PRODUCT SPECIFICATION PS-71660.
- △ CENTER PEG IS ONLY ON I20 AND I30 CIRCUIT ASSEMBLIES.
△ RECOMMENDED P.C. BOARD THICKNESS IS .062 (1.6).
△ CONNECTOR WILL ACCEPT MATING TO A P.C. BOARD WITH A THICKNESS OF .062±.003.
△ FOUR DIGIT DATE CODE (WK YR), EXAMPLE => 26 96 LOCATED IN AREA INDICATED.
△ PRODUCT TO BE PACKAGED IN TUBES



60 CIRCUIT ASSEMBLY SHOWN
SCALE 2:1

ADD 71660-9980 EC NO: UCP2007-0593 DRAWN BY: DR. RAJESH BARRA 20/06/09/21 CHKD BY: CH. K. S. MURUGAN 20/06/09/26 APPROVED BY: APPR. SMILLER 20/06/09/27	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM	SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
		4 PLACES ±.005 ±.005	3 PLACES ±.005 ±.005	2 PLACES ±.013 ±.01	1 PLACE ±.025 ±.025	ANGULAR ±1/2°	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-71660-006
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

2	C
1	C
SHT	REV

