

Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0743209076 - Connector Receptacle DVI-D, Dual Link 24 Position Through Hole, Right Angle, Horizontal

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0743209076

For any questions, you can email us directly: sales@integrated-circuit.com



## Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0743209076 - Connector Receptacle DVI-D, Dual Link 24 Position Through Hole, Right Angle, Horizontal



2ontact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 10/12/2012

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 74320-9076 Active MicroCross™ DVI Overview:

MicroCross™ DVI-D Digital Visual Interface, PCB Receptacle, Through Hole, Right **Description:** 

Angle, 2.79mm PC Tail Length, Jackpost pre-tightened Type, 24 Circuits, Lead-Free

**Documents:** Drawing (PDF)

RoHS Certificate of Compliance (PDF)

**Agency Certification** 

E29179

General

**Product Family** I/O Connectors Series 74320 Application Wire-to-Board

DDWG (Digital Display Working Group) Standard Comments

Component Type Receptacle MicroCross™ DVI Overview MicroCross™DVI **Product Name** Type N/A

756054004678

**Physical** 

**Boot Color** N/A Circuits (Loaded) 24 Circuits (maximum) 24 Color - Resin Natural Durability (mating cycles max) 100 94V-0 Flammability Gender Receptacle Keying to Mating Part Yes Lock to Mating Part Yes Material - Metal Copper Alloy Material - Plating Mating Gold Material - Plating Termination Tin Net Weight 8.163/g Number of Rows Right Angle Orientation PC Tail Length 2.79mm PCB Locator Yes **PCB** Retention Yes Packaging Type Tray

Panel Mount Yes Pitch - Mating Interface 1.90mm Pitch - Termination Interface 1.90mm Plating min - Mating 0.051µm Plating min - Termination 2.540µm Polarized to Mating Part Yes Polarized to PCB Yes Ports

Surface Mount Compatible (SMC)

Wire Size AWG

Temperature Range - Operating -20°C to +85°C Termination Interface: Style Through Hole Waterproof / Dustproof No

N/A

**China RoHS EU RoHS RoHS Compliant by** Exemption **REACH SVHC** Not Reviewed Low-Halogen Status Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series

**Mates With** 88744, <u>74323</u>

74320 Series



## **Distributor of Molex Connector Corporation: Excellent Integrated System Limited**Datasheet of 0743209076 - Connector Receptacle DVI-D, Dual Link 24 Position Through Hole,

Right Angle, Horizontal

Electrical Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Current - Maximum per Contact 3A
Grounding to Panel Yes
Shield Type Full Shield
Shielded Yes
Voltage - Maximum 40V AC (RMS)

**Material Info** 

**Reference - Drawing Numbers** 

Sales Drawing SD-74320-037

This document was generated on 10/12/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION