

Excellent Integrated System Limited

Stocking Distributor




Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0746952506](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



10 9 8 7 6 5 4 3 2 74695



∅0.66 DRILL
∅0.56 ±0.05 PTH
∅1.00 PAD
⊕ ∅0.10

**BACKPLANE HOLE PATTERN
RECOMMENDED DIMENSION**

0.27 MAX OVERALL PROTRUSION




NOTES:

1. MATERIAL: HOUSING -LIQUID CRYSTAL POLYMER (LCP), GLASS-FILLED, UL 94 V-0. COLOR BLACK. SIGNAL & SHIELD -COPPER ALLOY.
2. FINISHES: SELECTIVE GOLD (Au) ON CONTACT AREA. SELECTIVE TIN/LEAD (Sn/Pb) OR SELECTIVE MATTE TIN (Sn) ON PCB TAILS. NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-74031-999.
4. FOR MIXED CONTACT MATING LENGTHS CONSULT MOLEX FOR AVAILABILITY.
5. FOR SPECIFIC PART NUMBER AND MATING INFORMATION REFER TO SHEET 2.
6. PACKAGE PER PK-74695-003.
7. EITHER MARK PART NUMBER AND DATE CODE APPROXIMATELY WHERE SHOWN OR PLACE LABEL ON THE TUBE.

REVISED: ADD LEAD-FREE EC NO: LCP2006-1727 DRAWN: THOMAS 2006/02/16 CHKD: BINGHAY 2006/02/16 APPR: KNILVEY 2006/02/16	QUALITY SYMBOLS ▽-0 ▽-0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY		
		DIMENSION STYLE MM ONLY		TITLE HSD SALES ASSEMBLY 5 ROW OPEN END BACKPLANE					
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± ---		DRAWN BY MQWANG		DATE 2001/04/11		MOLEX INCORPORATED SEE SHT.2&3 SD-74695-002 1 OF 3	
		ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY NMARTIN		DATE 2001/04/14			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

tb_frame_B rev. B1 2000/08/01 8 7 6 5 4 3 2 1

10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 74695



MATERIAL NUMBER ASSIGNMENT

74695-*** ** SEE TABLES (SHEET 3)

- NUMBER OF COLUMNS/PLATING
- 10 = 10 COLUMN TIN/LEAD
- 12 = 12 COLUMN TIN/LEAD
- 15 = 15 COLUMN TIN/LEAD
- 25 = 25 COLUMN TIN/LEAD
- 90 = 10 COLUMN MATTE TIN
- 92 = 12 COLUMN MATTE TIN
- 95 = 15 COLUMN MATTE TIN
- 85 = 25 COLUMN MATTE TIN

REVISED: ADD LEAD-FREE EC NO: LCP2006-1727 DRWN: C. THOMAS 2006/02/16 CHKD: B. BINGHAM 2006/02/16 APPR: K. J. LEVY 2006/02/16	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY
	▽-0 ▽-0		m/m	INCH	DIMENSION STYLE MM ONLY		HSD SALES ASSEMBLY 5 ROW OPEN END BACKPLANE
		4 PLACES	± .---	± .---	DRAWN BY MQWANG	DATE 2001/04/11	
		3 PLACES	± .---	± .---	CHECKED BY NMARTIN	DATE 2001/04/14	
		ANGULAR ±1/2°		APPROVED BY CBIXLER	DATE 2001/04/14	MOLEX INCORPORATED MATERIAL NO. SEE TABLES DOCUMENT NO. ISD-74695-002 SHEET NO. 2 OF 3	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

tb_frame_B rev. B1 2000/08/01 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

PART NUMBER	COLUMN	NUMBER OF SIGNAL PINS	NUMBER OF SHIELDS	A	B	M	Au (um) THICKNESS	Sn/Pb (um)
74695-1001	10	40	10	20.00	18.00	4.75	0.76	0.76-1.52
74695-1006	10	40	10	20.00	18.00		1.27	
74695-1201	12	48	12	24.00	22.00		0.76	
74695-1206	12	48	12	24.00	22.00	1.27		
74695-2501	25	100	25	50.00	48.00	6.25	0.76	
74695-2506	25	100	25	50.00	48.00		1.27	
74695-1002	10	40	10	20.00	18.00		0.76	
74695-1007	10	40	10	20.00	18.00	1.27		
74695-1202	12	48	12	24.00	22.00	4.25	0.76	
74695-1207	12	48	12	24.00	22.00		1.27	
74695-2502	25	100	25	50.00	48.00		0.76	
74695-2507	25	100	25	50.00	48.00	1.27		
74695-1003	10	40	10	20.00	18.00	5.15	0.76	
74695-1008	10	40	10	20.00	18.00		1.27	
74695-1203	12	48	12	24.00	22.00		0.76	
74695-1208	12	48	12	24.00	22.00	1.27		
74695-2503	25	100	25	50.00	48.00	4.75	0.76	
74695-2508	25	100	25	50.00	48.00		1.27	
74695-1004	10	40	10	20.00	18.00		0.76	
74695-1009	10	40	10	20.00	18.00	1.27		
74695-1204	12	48	12	24.00	22.00	6.25	0.76	
74695-1209	12	48	12	24.00	22.00		1.27	
74695-2504	25	100	25	50.00	48.00		0.76	
74695-2509	25	100	25	50.00	48.00	1.27		

TIN/LEAD CHART

PART NUMBER	COLUMN	NUMBER OF SIGNAL PINS	NUMBER OF SHIELDS	A	B	M	Au (um) THICKNESS	Sn (um)
74695-9001	10	40	10	20.00	18.00	4.75	0.76	0.76-1.52
74695-9006	10	40	10	20.00	18.00		1.27	
74695-9501	12	48	12	24.00	22.00		0.76	
74695-9506	12	48	12	24.00	22.00	1.27		
74695-8501	25	100	25	50.00	48.00	6.25	0.76	
74695-8506	25	100	25	50.00	48.00		1.27	
74695-9002	10	40	10	20.00	18.00		0.76	
74695-9007	10	40	10	20.00	18.00	1.27		
74695-9502	12	48	12	24.00	22.00	4.25	0.76	
74695-9507	12	48	12	24.00	22.00		1.27	
74695-8502	25	100	25	50.00	48.00		0.76	
74695-8507	25	100	25	50.00	48.00	1.27		
74695-9003	10	40	10	20.00	18.00	5.15	0.76	
74695-9008	10	40	10	20.00	18.00		1.27	
74695-9503	12	48	12	24.00	22.00		0.76	
74695-9508	12	48	12	24.00	22.00	1.27		
74695-8503	25	100	25	50.00	48.00	4.75	0.76	
74695-8508	25	100	25	50.00	48.00		1.27	
74695-9004	10	40	10	20.00	18.00		0.76	
74695-9009	10	40	10	20.00	18.00	1.27		
74695-9504	12	48	12	24.00	22.00	6.25	0.76	
74695-9509	12	48	12	24.00	22.00		1.27	
74695-8504	25	100	25	50.00	48.00		0.76	
74695-8509	25	100	25	50.00	48.00	1.27		

LEAD FREE CHART

ADDED SHEET: 3 EC NO: UCP2006-1727 DRAWN: THOMAS 2006/02/16 CHECKED: J. INGHAM 2006/02/16 APPROVED: K. MURPHY 2006/02/16	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		mm	INCH	DRAWN BY	DATE	TITLE	HSD SALES ASSEMBLY 5 ROW OPEN END BACKPLANE MOLEX INCORPORATED	
		4 PLACES ± ---	± ---	MOWANG	2001/04/11			
		3 PLACES ± ---	± ---	CHECKED BY	DATE			
2 PLACES ± ---	± ---	NMARTIN	2001/04/14					
1 PLACE ± ---	± ---	APPROVED BY	DATE					
		ANGULAR ±1/2°		CBI XLER	2001/04/14			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLES				
				MATERIAL NO.		DOCUMENT NO.		SHEET NO.
						SD-74695-002		3 OF 3
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		