

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:




[Molex Connector Corporation](#)
[0387044103](#)

For any questions, you can email us directly:


sales@integrated-circuit.com



REF. -50 OPT. SCREW
(WHERE APPLICABLE)



4 CIRCUIT SHOWN



NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. "XX" REFERS TO THE QUANTITY OF CIRCUITS
4. ROHS COMPLIANT

4. ROHS COMPLIANT					ADD STD AND -49 OPT EC NO: WNA2009-0702 DRWN: JENCINAS 2009/05/26 CHKD: YORK 2009/05/27 APPR: MACNEIL 2009/05/27	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION						
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH				REV	SIZE	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MM/IN		DRAWN BY	DATE	TITLE	INCH	MOLEX INCORPORATED			
											mm	INCH	R. KEMP	2003/05/16	8.26MM [.325] SR BTS, CS PC, NO MTG. ENDS					
																		4 PLACES ± --- ± ---	CHECKED BY	DATE
							1 PLACE ± 0.3 ± ---		APPROVED BY		DATE									
							ANGULAR ± 2 °		P. WALTZ		2003/05/22									
									MATERIAL NO.		DOCUMENT NO.		SHEET NO.							
									SEE SHT. 2		SD-38704-001		1 OF 2							
									THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

NO. OF CIRCUITS	DIM. "A"		DIM. "B"		ASSEMBLY MATERIAL NO. (STANDARD)	ASSEMBLY MATERIAL NO. (-49 OPT)	ASSEMBLY MATERIAL NO. (-50 OPT)
	mm	in	mm	in			
02	18.5	0.73	8.26	.325	387044102	387044502	387044902
03	26.8	1.06	16.51	.650	387044103	387044503	387044903
04	35.1	1.38	24.77	.975	387044104	387044504	387044904
05	43.3	1.70	33.02	1.300	387044105	387044505	387044905
06	51.5	2.03	41.28	1.625	387044106	387044506	387044906
07	59.8	2.35	49.53	1.950	387044107	387044507	387044907
08	68.0	2.68	57.79	2.275	387044108	387044508	387044908
09	76.3	3.00	66.04	2.600	387044109	387044509	387044909
10	84.6	3.33	74.30	2.925	387044110	387044510	387044910
11	92.8	3.65	82.55	3.250	387044111	387044511	387044911
12	101.1	3.98	90.81	3.575	387044112	387044512	387044912
13	109.3	4.30	99.06	3.900	387044113	387044513	387044913
14	117.6	4.63	107.32	4.225	387044114	387044514	387044914
15	125.8	4.95	115.57	4.550	387044115	387044515	387044915
16	134.1	5.28	123.83	4.875	387044116	387044516	387044916

SEE SHEET ONE EC NO: WNAZ-009-0702 DRAWN: JENCIMAS 2009/05/16 CHECKED: CYORK 2009/05/17 APPR: MACNEIL 2009/05/17	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	
			MM/IN		1:1	INCH		
			mm	INCH	DRAWN BY	DATE		TITLE
			4 PLACES ± ---	± ---	R. KEMP	2003/05/16		8.26MM [.325] SR BTS, CS PC, NO MTG. ENDS
			3 PLACES ± ---	± .005	CHECKED BY	DATE		
			2 PLACES ± .013	± .01	P. WALTZ	2003/05/22		MOLEX INCORPORATED
			1 PLACE ± .03	± .01	APPROVED BY	DATE		
			ANGULAR ± 2 °		P. WALTZ	2003/05/22		SD-38704-001
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.		
					SEE CHART			
		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					