

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[Molex Connector Corporation](#)
[0716612350](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


NOTES:

1. MATERIAL:
HOUSING: LIQUID CRYSTAL POLYMER (LCP), GLAS-FILLED, UL 94V-0.
COLOR: BRASS
TERMINALS: BRASS
 2. FINISH:
TERMINAL: 0.76 MICROMETERS/30 MICROINCHES MINIMUM SELECTIVE GOLD
IN CONTACT AREA, 1.27 MICROMETERS/50 MICROINCHES MINIMUM
SELECTIVE TIN IN THE PC TAIL AREA, NICKEL UNDERPLATE OVERALL
 3. ASSEMBLY MATES WITH MOLEX P/N SDA-71660-****
 4. CONFORMS TO PRODUCT SPEC: PS-71660
- △ RECOMMENDED PC BOARD THICKNESS IS .062/1.60
 △ FOUR DIGIT DATE CODE (WK.YR) EXAMPLE 26 96 LOCATED IN AREA SHOWN
 △ TOOLING STATUS: 'X' INDICATES NO TOOLING AVAILABLE
 CONTACT FACTORY FOR FURTHER INFORMATION



END DETAIL
OPTION A
(BOTH ENDS)

END DETAIL
OPTION B
(BOTH ENDS)




CHANGE MATERIAL	UICP2009-0754
EC NO:	2008/12/19
DRWING BARRA	2009/01/06
CHKD BARBER	2009/01/06
APPROV MILLER	2009/01/06
DESCRIPTION	
REV	

QUALITY SYMBOLS	▽=0
▽=0	
GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	± .010 ± .0004
3 PLACES	± .010 ± .0004
2 PLACES	± 0.25 ± .010
1 PLACE	± .010 ± .0004
ANGULAR	± 1/2°
DRAFT WHERE APPLICABLE	MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	IN/MM
DRAWN BY	RAN
DATE	1993/02/23
CHECKED BY	RAN
DATE	1993/02/23
APPROVED BY	CAB
DATE	1993/02/23
MATERIAL NO.	SEE TABLE
DOCUMENT NO.	SDA-71661-2***

SCALE	4:1
DESIGN UNITS	INCH
THIRD ANGLE PROJECTION	
SALES ASSEMBLY	
EBBI 50D RIGHT ANGLE	
PLUG CONNECTOR	
MOLEX INCORPORATED	
MATERIAL NO.	SEE TABLE
DOCUMENT NO.	SDA-71661-2***
SHEET NO.	1 OF 2


13 12 11 10 9 8 7 6 5 4 3 2 1




RECOMMENDED PC BOARD LAYOUT COMPONENT SIDE

TRAY PACK PER SPEC. PK-70873-084*
END DETAIL OPTION 'A'

CIRCUIT SIZES	DIMENSIONS (INCH)					ITEM NUMBER
	30	50	100	120	130	
.125 (3.18)	3.491 (88.68)	3.642 (92.50)	3.426 (87.02)	3.200 (81.28)	130	71661-2430
	3.241 (82.33)	3.392 (86.15)	3.176 (80.67)	2.950 (74.93)	120	71661-2420
	2.741 (69.63)	2.892 (73.45)	2.676 (67.97)	2.450 (62.23)	100	71661-2400
	2.241 (56.93)	2.392 (60.75)	2.176 (55.27)	1.950 (49.53)	80	71661-2380
	1.941 (49.31)	2.092 (53.13)	1.875 (47.65)	1.650 (41.91)	68	71661-2368
	1.741 (44.23)	1.892 (48.05)	1.676 (42.57)	1.450 (36.83)	60	71661-2360
.110 (2.79)	3.491 (88.68)	3.642 (92.50)	3.426 (87.02)	3.200 (81.28)	130	71661-2130
	3.241 (82.33)	3.392 (86.15)	3.176 (80.67)	2.950 (74.93)	120	71661-2120
	2.741 (69.63)	2.892 (73.45)	2.676 (67.97)	2.450 (62.23)	100	71661-2100
	2.241 (56.93)	2.392 (60.75)	2.176 (55.27)	1.950 (49.53)	80	71661-2080
	1.941 (49.31)	2.092 (53.13)	1.875 (47.65)	1.650 (41.91)	68	71661-2068
	1.741 (44.23)	1.892 (48.05)	1.676 (42.57)	1.450 (36.83)	60	71661-2060



50 CIRCUIT ASSEMBLY SHOWN



CHANGE MATERIAL EC NO: UCP2009-1234 DRAWN BY: 2008/12/19 CHKD BY: 2009/01/06 APPR: 2009/01/06	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
		4 PLACES ± ---	± ---	DRAWN BY: RAN DATE: 1993/02/23		TITLE SALES ASSEMBLY EBB1 50D RIGHT ANGLE PLUG CONNECTOR			
		3 PLACES ± ---	± .010	CHECKED BY: RAN DATE: 1993/02/23		MOLEX INCORPORATED			
		2 PLACES ± 0.25	± ---	APPROVED BY: CAB DATE: 1993/02/23		MATERIAL NO. SDA-71661-2*** DOCUMENT NO.			
ANGULAR ± 1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SHEET NO. 2 OF 2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

12 11 10 9 8 7 6 5 4 3 2 1