

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1853748](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## VC-K-KV-PG16( 6,5- 9,5)

Order No.: 1853748



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853748>

Half screw connection Pg16, made of plastic, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 7 - 14

### Commercial data

EAN	4017918146184
Pack	5 pcs.
Customs tariff	39269097
Weight/Piece	0.00938 KG
Catalog page information	Page 372 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General characteristics

Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
Degree of protection	IP67
Type of the screw connection	Half screw connection

VC-K-KV-PG16( 6,5- 9,5) Order No.: 1853748

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853748>

Seal material	TPE
Ambient temperature (operation)	-40 °C ... 80 °C

### Certificates / Approvals



Certification GOST

### Accessories

Item	Designation	Description
<b>Assembly</b>		
1885363	VC-K-KV-PG21-O	Half screw connection made of plastic with rubber seal without hole or for individual holes

VC-K-KV-PG16( 6,5- 9,5) Order No.: 1853748

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1853748>

---

#### Address

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;