

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[2959269](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

UM 45-PROFIL

CM



► General data



Profile housing, for mounting at a right-angle on NS 35/7.5 . The profile width is 45 mm .

Order number	2959269	
Type	UM 45-PROFIL	CM
Barcode number	4017918107369	
Unit pack	1 Centimeter	
Customs tariff	39162010900	

► Technical data

General		
Housing material	PVC	
Color	green	
Dimensions / positions		
Width	45 mm	
Technical data		
Inflammability class acc. to UL 94	V0	



Documentation

Order key

Profile width [mm]	Profile length [cm]	Color
UM		
25	Please indicate length in [cm]	GN = green Special colors on request
45		
72		
100		
122		

Order example

Order key UM 45 profile

Profile width	Profile length	Color
45	100	GN

UM 45-PROFILMM 100cm GN

Order No. 2959269

Order No. 2959269

Order No. 2959269

Order No. 2959269

Accessories

Item	Designation	Description
Assembly		
2959434	UM 25/45-FEO 200	Foot element, is inserted in the profile housing, limit stop with screw. Mounted at right angles to the NS 35/7.5 mounting rail
2906131	UM 45-SE	Side element, without marker groove, labeling with SS-ZB. Width: 6 mm, length: 45 mm, height: 21 mm,
2907554	UM 45-SEAS	Side supporting element, must be mounted at right angles to the NS 35/7.5 mounting rail to support the housing.
2907826	UM 45-SEFE	Side element with foot, labeling with SS-ZB, mounted along the length of the mounting rail NS 35/7.5. Height: 36 mm, width: 10 mm, length: 45 mm.
2959308	UM 45-SES	Side element, with marker groove, labeling with SS-ZB. Width: 11 mm, length: 45 mm, height: 21 mm,
2976077	UMK- BF	Mounting flange, for mounting directly on the wall
General		
2959793	UM 45-SEFE O.N.	Side element with foot, however without PCB guide, labeling with SS-ZB, mounted along the length of the mounting rail NS 35/7.5. Height: 36 mm, width: 10 mm, length: 45 mm.
Marking		
5031171	SS-ZB WH	Markers, unprinted, 5-section, for snapping into devices and components with special marker groove, labeling with M PEN or CMS system, lettering field size: 20 x 8 mm, white, for SAB boxes
5031650	SS-ZB YE	Markers, unprinted, 5-section, for snapping into devices and components with special marker groove, labeling with M-pen or CMS system, marking area size: 20 x 8 mm, yellow, for SAB boxes
5031744	SS-ZB:SO/CMS	Contact marker Zack strip, printed: 5-section, snaps on, color: white. Zack marker strip is printed according to customer requirements.



► Address

Phoenix Contact GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel + 49 - (0) 52 35 - 3-00
Fax + 49 - (0) 52 35 - 3-4 12 00
www.phoenixcontact.com

© Phoenix Contact
Technical modifications reserved