

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)
[2959492](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


UM108-PROFIL

CM



► General data

Profile PC board base, 108 mm narrow module.



**Zur Zeit ist kein
 Produktfoto vorhanden**

Order number	2959492	
Type	UM108-PROFIL	CM
Barcode number	4017918086145	
Unit pack	1 Centimeter	
Customs tariff	39162010900	

► Technical data

General		
Housing material	PVC	
Color	green	
Dimensions / positions		
Width	60 mm	
Technical data		
Inflammability class acc. to UL 94	V0	



Documentation

Order key

	Profile width [mm]	Profile length [cm]	Color
UM	25 45 72 100 108 122	Please indicate length in [cm]	GN = green Special colors on request

Order example

Order key	Profile width [mm]	Profile length [cm]	Color
UM	25	100	GN

▶ Accessories

Item	Designation	Description
Assembly		
2854898	UM 108-A/U CM	UM profile covers, tall version, widths of 60 mm (internal dimension 56 mm) and 73 mm (internal dimension 69 mm) are available. Please note the ordering example and the order key.
2709383	UM108 N-SE-A73	Side element, without foot, low-profile version, for 73 mm wide U-shaped cover.
2709367	UM108 N-SEFE/L-A73	Side element, with foot, low-profile version, left-hand, for 73 mm wide U-shaped cover.
2709354	UM108 N-SEFE/R-A73	Side element, with foot, low-profile version, right-hand, for 73 mm wide U-shaped cover.
2709370	UM108 N-SEPEF/L-A73	Side element with foot, low-profile design, left, for 73 mm wide U-shaped cover, with PE contact to the mounting rail.
2907680	UM108-A/U73-HT	CM UM profile cover, tall version, constructional widths 73 mm (internal dimensions 69 mm). Covers of high-temperature resistant PC material. Please include length specifications (in cm) with order no.
2959463	UM108-FE	UM 108-FE foot element, 107.5 mm wide, for mounting on NS 32 or NS 35/7.5, below profile housing UM 108.
2959780	UM108-LG 10	Profile housing and board base, 10 mm wide module, consisting of two side elements
2959476	UM108-SE	UM 108-SE side element, 5 mm wide, PCB width: 107.5 mm
2959748	UM108-SE-A60	Side element, without foot, tall version, for 60 mm wide U-shaped cover.
2959751	UM108-SE-A73	Side element, without foot, tall version, for 73 mm wide U-shaped cover.
2959696	UM108-SEFE/L	UM 108-SEFE/L side element with foot, 5 mm wide (left), for mounting on NS 32 or NS 35/7.5. PCB width: 107.5 mm
2959722	UM108-SEFE/L-A60	Side element, with foot, tall version, left-hand, for 60 mm wide U-shaped cover.
2959735	UM108-SEFE/L-A73	Side element, with foot, tall version, left-hand, for 73 mm wide U-shaped cover.
2959683	UM108-SEFE/R	UM 108-SEFE/R side element with foot, 5 mm wide (right), for mounting on NS 32 or NS 35/7.5. PCB width: 107.5 mm
2959706	UM108-SEFE/R-A60	Side element, with foot, tall version, right-hand, for 60 mm wide U-shaped cover.
2959719	UM108-SEFE/R-A73	Side element, with foot, tall version, right-hand, for 73 mm wide U-shaped cover.
2906490	UM108-SEPEF/L	UM 108- SEFEF/L side element with foot, 5 mm wide (left), for mounting on NS 32 or NS 35/7.5, with PE contact to the mounting rail. PCB width: 107.5 mm
2906500	UM108-SEPEF/L-A60	Side element with foot, tall design, left-hand, for 60 mm wide U-shaped cover, with PE contact to the mounting rail.
2906513	UM108-SEPEF/L-A73	Side element with foot, tall design, left, for 73 mm wide U-shaped cover, with PE contact to the mounting rail.
2976077	UMK- BF	Mounting flange, for mounting directly on the wall

UM108-PROFIL

CM



General

2706852

UM-A/U N 73 CM

U-shaped cover, low-profile version, transparent, PC, high-temperature resistant material, please indicate length in [cm] with order no.



► Address

Phoenix Contact GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel + 49 - (0) 52 35 - 3-00
Fax + 49 - (0) 52 35 - 3-4 12 00
www.phoenixcontact.com

© Phoenix Contact
Technical modifications reserved