Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Phoenix Contact 2959874

For any questions, you can email us directly: sales@integrated-circuit.com



Distributor of Phoenix Contact: Excellent Integrated System Limited

Datasheet of 2959874 - UM100-PROFILMM

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

UM100-PROFIL

CM



▶ General data

UM 100- profile PC board base, with a constructional width of 100 mm



Order number 2959874

Type UM100-PROFIL CM

Barcode number 4017918086404 Unit pack 1 Centimeter Customs tariff 39162010900

▶ Documentation

Order example





Distributor of Phoenix Contact: Excellent Integrated System Limited

Datasheet of 2959874 - UM100-PROFILMM

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

UM100-PROFIL

CM



Accessories

Item	Designation		Description
Assembly			
2854898	UM 108-A/U CM		UM profile covers, tall version, widths of 60 mm (internal dimension 56 mm) and 73 mm (internal dimension 69 mm) are available. Please note the ordering example and the order key.
2709383	UM108 N-SE-A73		Side element, without foot, low-profile version, for 73 mm wide U-shaped cover.
2709367	UM108 N-SEFE/L-A73		Side element, with foot, low-profile version, left-hand, for 73 mm wide U-shaped cover.
2709354	UM108 N-SEFE/R-A73		Side element, with foot, low-profile version, right-hand, for 73 mm wide U-shaped cover.
2709370	UM108 N-SEPEF/L-A73		Side element with foot, low-profile design, left, for 73 mm wide U-shaped cover, with PE contact to the mounting rail.
2907680	UM108-A/U73-HT	CM	UM profile cover, tall version, constructional widths 73 mm (internal dimensions 69 mm). Covers of high-temperature resistant PC material. Please include length specifications (in cm) with order no.
2959463	UM108-FE		UM 108-FE foot element, 107.5 mm wide, for mounting on NS 32 or NS 35/7.5, below profile housing UM 108.
2959780	UM108-LG 10		Profile housing and board base, 10 mm wide module, consisting of two side elements
2959476	UM108-SE		UM 108-SE side element, 5 mm wide, PCB width: 107.5 mm
2959476	UM108-SE		UM 108-SE side element, 5 mm wide, PCB width: 107.5 mm
2959748	UM108-SE-A60		Side element, without foot, tall version, for 60 mm wide U-shaped cover.
2959751	UM108-SE-A73		Side element, without foot, tall version, for 73 mm wide U-shaped cover.
2959696	UM108-SEFE/L		UM 108-SEFE/L side element with foot, 5 mm wide (left), for mounting on NS 32 or NS 35/7.5. PCB width: 107.5 mm
2959722	UM108-SEFE/L-A60		Side element, with foot, tall version, left-hand, for 60 mm wide Ushaped cover.
2959735	UM108-SEFE/L-A73		Side element, with foot, tall version, left-hand, for 73 mm wide Ushaped cover.
2959706	UM108-SEFE/R-A60		Side element, with foot, tall version, right-hand, for 60 mm wide U-shaped cover.
2959719	UM108-SEFE/R-A73		Side element, with foot, tall version, right-hand, for 73 mm wide U-shaped cover.
2906500	UM108-SEPEF/L-A60		Side element with foot, tall design, left-hand, for 60 mm wide U-shaped cover, with PE contact to the mounting rail.
2906513	UM108-SEPEF/L-A73		Side element with foot, tall design, left, for 73 mm wide U-shaped cover, with PE contact to the mounting rail.
2000010			Mounting flange, for mounting directly on the wall

2706852 UM-A/U N 73 CM U-shaped cover, low-profile version, transparent, PC, hightemperature resistant material, please indicate length in [cm] with order no.



Distributor of Phoenix Contact: Excellent Integrated System Limited Datasheet of 2959874 - UM100-PROFILMM

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

UM100-PROFIL

CM





Distributor of Phoenix Contact: Excellent Integrated System Limited

Datasheet of 2959874 - UM100-PROFILMM

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

UM100-PROFIL

CM



Address

Phoenix Contact GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel + 49 - (0) 52 35 - 3-00 Fax + 49 - (0) 52 35 - 3-4 12 00 www.phoenixcontact.com

© Phoenix Contact
Technical modifications reserved